

INDEX TO VOLUME LXII *

* Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909-1966). xvi + 1108 pages. Price: \$40.00. Available from: Stechert-Hafner Service Agency, 866 Third Ave., New York, N. Y. 10022.

The Index for Volume 62 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

- Acropetal development in the "chain"
formation of chlamydospores of
Thielaviopsis basicola 960
- Aeration effect
Boletus 310
Monascus 1020
- Aflatoxin 123
synthesis 978
- Agaricostilbum, a new genus of Deuteromycetes on palm spathes from Argentina 679
- Agrios, George N. Plant pathology; review 207
- Ahearn, D. G. See Meyers et al. 504
- Ahmad, Sayed S. and Philip G. Miles.
Hyphal fusions in *Schizophyllum commune*. 2. Effects of environmental and chemical factors 1008
- Ahmed, S. I. See Mirza and Ahmed 1003
- Alaska
fleshy fungi 940
- Alcoholic toluidine blue: a rapid method for staining nuclei in unfixed mycetozoa and fungi 406
- Alexopoulos, C. J. See Martin and Alexopoulos 1080
- Allderdice, Penelope W. See Weitzman et al. 89
- Amino acids 1018
- Ammonium effect
Phytophthora 1041
- Anchel, Marjorie. See Canham et al. 599
- Animals
Actebia 35
Agkistrodon 586
Agrotis 33, 35
Barathra 35
Calliopum 35
Calliphora 35
Caloptenus 35
Cerastis 35
Cimbex 35
Cleonus 35
Crotalus 586
Cylindrophis 586
Cynomya 35
Cyrtoneura 35
Elaphe 586
Elater 35
Euacanthus 35
Eupsilia 35
Eurois 35
Graptomys 586
Haldea 586
Hemicyclophora 569
Hylemia 35
Hypera 35
Lampropeltis 586
Lauxania 35
Melanoplus 35
Morellia 35
Natrix 586
Phytometra 35
Phytonomus 35
Pieris 35
Plusia 35
Sarcophaga 35
Sitona 35
Sitones 35
Sternotherus 586
Thamnopsis 586
Tipula 35
Treponema 356
Trionyx 586
Zabrus 35
Antarctic yeasts 272
Antheridiol 411

- Appendage of Amorphomyces (Laboulbeniales) 741
 Aquatic Hyphomycetes of central New York 516
 Aquatic Phycomycete
 Catenaria 568
 Aragaki, M. See Hylin et al. 200
 ———. See Leach and Aragaki 1071
 Argentina
 Deuteromycetes 679
 Aronson, Jerome M. See Pao et al. 531
 Ascal cytology of *Sordaria brevicollis* 453
 Ascomycetes 848
 Hypocrealean fungi 865
 subclass Ascomycetidae 874
 Ascospore discharge in *Hypoxylon* 1170
 Aspergillus
 carbon utilization 126
 glucose effect 129
 nitrogen effect 129
 sclerotium formation 130
 Attraction toward and penetration of *Polyporus dryophilus* var. *vulpinus* basidiospores by hyphae of the same species 714
 Axenic culture 307, 397
 Phytophthora 397
 Axenic growth
 Gonatorhodiella 1122
 haustorial mycoparasites 750
 Baker, Kenneth F. [Review of] An introduction to plant diseases 617
 Barksdale, Alma Whiffen. Nutrition and antheridiol-induced branching in *Achlya ambisexualis* 411
 ———. [Review of] Our mouldy earth 1084
 Barnett, H. L. Nutritional requirements for axenic growth of some haustorial mycoparasites 750
 ———. See Gain and Barnett 1122
 Barr, D. J. S. Hyphochytrium catenoides: a morphological and physiological study of North American isolates 492
 Barr, Margaret E. Some amerosporous Ascomycetes on Ericaceae and Empetraceae 377
 Barron, G. L. See Dayal and Barron 826
 Basidiocarp production by *Clitocybe tenuissima* in culture 203
 Basidiomycete, fossil 578
 Basidiomycetes 848
 Basidiospores
 hyphal penetration 714
 Polyporus 714
 ultrastructure of dormant and germinated 176
 Bean, G. A. See Tillman and Bean 428
 Benedict, R. G., L. R. Brady, D. E. Stuntz, and J. Spurr. Occurrence of the deadly *Amanita verna* in the Pacific Northwest 597
 Benedict, Robert G. See Largent and Benedict 437
 Bigelow, Howard E. Basidiocarp production by *Clitocybe tenuissima* in culture 203
 ———. *Omphalina* in North America 1
 ———. [Review of] Mycoflora australis 1077
 Binucleate condition of the quadriflagellated zoospores of *Phytophthora palmivora* 421
 Biochemistry
 Ceratocystis 987
 Biographies
 Page, Robert Meredith 1085
 Biotin effect
 Ceratocystis 157
 Chloridium 215
 Bistis, G. N. Dikaryotization in *Clitocybe truncicola* 911
 ———. See Canham et al. 599
 Boleti of northeastern North America; review 1215
 Books briefly noted 207, 208
 Borelli, Dante. See Rush-Munro et al. Bourdot, H.
 Tomentella 133
 Bracker, Charles E. See Littlefield and Bracker 609
 Brady, L. R. See Benedict et al. 597
 Bricker, J. L. See Tsao and Bricker 960
 British fungus flora. Agarics and boleti: introduction; review 1083
 Brooks, Albert G. See Kulik and Brooks 365
 Bryophytes
 Sphagnum 450
 Budington, A. B. See Gilbertson and Budington 673
 Burning effect
 soil fungi 721
 Calcium 604
 Calcium effect
 Ceratocystis 192
 Calcium requirement
 Aqualinderella 350
 Phytophthora 195
 Callose-pectic substances 234
 Campbell, R. N. Perithecium formation by *Ceratocystis fimbriata* in response to nitrogen and calcium 192
 Canham, Susan C., Marjorie Anchel, and George N. Bistis. Reclassification of *Nocardia acidophilus*: A case for chemical taxonomy? 599

- Cantino, E. C., and L. C. Truesdell.
Organization and fine structure of
the side body and its lipid sac in
the zoospore of *Blastocladiella*
emersonii 548
- Carbohydrate utilization
Aqualinderella 342
- Carbon and nitrogen nutrition of *Sclero-*
tium cepivorum 1195
- Carbon compound assimilation
Rhodosporidium 278
- Carbon effect
Ceratocystis 158
Hyphochytrium 501
- Carbon nutrition
Chloridium 218
- Carbon requirement
Alternaria 290
- Carbon utilization
Tieghemiomycetes 753
- Casein hydrolysate effect
Tieghemiomycetes 753
- Catenariaceae 587
- Cell wall structure of *Sapromyces elon-*
gatus 531
- Cellular effects from microbeam irradi-
ation of *Basidiobolus ranarum* with
a laser 227
- Cenococcum graniforme in New Zea-
land 585
- Chang, Chung-Min and J. Q. Lynd.
Soil microfloral interactions with
aflatoxin synthesis and degradation
978
- Characteristics of *Pseudoperonospora*
humuli sporangia produced in water
drops on systemically infected hop
leaves 1067
- Chemical and botanical guide to lichen
products; review 615
- Chemical effect
Schizophyllum 1014
- Chemical taxonomy 599
- Chemically defined medium for the
study of growth, sporulation, and
presumptive sporogenic substances
in *Alternaria tomato* 200
- Chemistry
Catenaria 568
Sapromyces 531
- Chemotaxonomy
Alboleptonia 438
- Chen, Dah-Wu, and G. A. Zentmyer.
Production of sporangia by *Phy-*
tophthora cinnamomi in axenic cul-
ture 397
- Chlamydospores 960
- Cholesterol effect
Phytophthora 197
- Chromosome numbers in species of
Nannizzia and *Arthroderma* 89
- Chytridiomycetes 302
- Clamp connections 578
- Clavicipitaceae 900
- Clavicipitales 875, 899
- Comments on the distribution of *Basidi-*
obolus ranarum 585
- Common names
Jeffrey pine limb rust 996
- Commonwealth Mycological Institute,
Kew, Surrey, England. Index of
fungi. A supplement to Petrak's
lists, 1920-1939; review 408
- Comparative mycelial protein and en-
zyme patterns in four species of
Ceratocystis 987
- Conidiophores
Erysiphaceae 707
- Continuity of host plasma membrane
around haustoria of *Melampsora*
lini 609
- Conway, Kenneth E. The aquatic *Hy-*
phomycetes of central New York
516
- Cook, W. L. See Meyers et al. 504
- Cooke, John C. Morphology of *Chae-*
tomium trilaterale 282
- Cooke, Wm. Bridge. Our mouldy
earth; review 1084
- , and John G. Palmer. The 1966
Maryland Foray 844
- Corn kernels
Penicillium 67, 75
- Corner, E. J. H. A monograph of
Thelephora (Basidiomycetes); re-
view 860
- Correction, Festkrift til Professor Niels
Fabritius Buchwald; review 863
- Corsini, Dennis. See Vega et al. 332
- Corticaceae 673
wood-rotting fungi 673
- Culberson, Chicita F. Chemical and
botanical guide to lichen products;
review 615
- Culture
Clitocybe 203
- Cyclopeptidic toxins 598
- Cytology
Arthroderma 89
Ascobolus 761
Basidiobolus 227
Ceratobasidium 474
Chaetomium 282
Clitocybe 911
Nannizzia 89
Pellicularia 474
Phytophthora 421
Sordaria 453
Trybliidiella 102
- Cytology and developmental morphology
of *Kernkampella breyniae-patentis*
and *Ravenelia hobsoni* 1112
- Cytology of the ascus in *Ascotricha*
guamensis 301

- Dakshini, K. M. M., R. K. Tandon, and K. G. Mukerji. A new species of *Phyllachora* 296
- Davis, David. [Review of] Plant Pathology 207
- Dawes, Clinton J. See Wagner and Dawes 791
- Dayal, R., and G. L. Barron. *Verticillium psalliotae* as a parasite of *Rhopalomyces* 826
- Degradation of soil microfloral interactions 978
- Dennis, Robert L. A Middle Pennsylvanian Basidiomycete mycelium with clamp connections 578
- Desjardins, P. R., G. A. Zentmyer, and D. A. Reynolds. On the binucleate condition of the quadriflagellated zoospores of *Phytophthora palmivora* 421
- Deuteromycetes 679
- Diaporthales 875
- Dick, Esther A. See Snell and Dick 206, 1215
- Didymium saturnus, a new myxomycete occurring on straw stacks, 1061
- Dietz, S. M., and George W. Fischer. *Melanotaenium oxalidis* sp. nov. on *Oxalis oregana* from Washington state 402
- Dikaryotization in *Clitocybe truncicola* 911
- Dimethyl sulfoxide 428
- Dioxide effect
 Boletus 310
- Discomycetes, operculate 234
- Dumont, K. P., and Richard P. Korf. Nomenclatural notes. VI. A new name, *Martininia*, to replace *Martinia* (*Sclerotiniaceae*) 608
- Duran, Ruben. Hosts and distribution records of Mexican smut fungi 1094
- Ecology
 Lake Champlain fungi 504
- Effects of temperature on conidium characteristics of *Ulocladium charitarum* and *Stemphylium floridanum* 1071
- El-Ani, Arif S. The macroconidium appendage in *Microsporum gypsum* 1070
- Electron microscopy 176, 761
- Electrophoretic studies of soluble proteins from *Aspergillus* spp. 365
- Emerson, Ralph, and Richard A. Humber. Robert Meredith Page (1919-1968); biography 1085
- Emerson, Ralph. See Held and Emerson 359
- Empetraceae 377
- Endogenous rhythm of spore discharge in *Ganoderma applanatum* 1138
- Endogone incrassata*: a zygosporic species with hollow sporocarps 1204
- Entomogenous fungi 33-66, 741
- Entomophthorales 33
- Environmental control of fruitbody development in *Boletus rubinellus* in axenic culture 307
- Enzyme patterns 987
- Ericaceae 377
- Erwin, D. C. See Timmer et al. 967
- Erysiphaceae 707
- Erysiphales 874
- Essette, Henri. See Leclair and Essette 206
- Euascomycetes 874
- Farr, Marie L. [Review of] The Myxomycetes 080
- Fell, J. W. See Newell and Fell 272
- Fermentative energy metabolism
 Aqualinderella 339
- Finley, David E. Somatic mitosis in *Ceratobasidium flavescens* and *Pellicularia koleroga* 474
- Fischer, George W. See Dietz and Fischer 402
- Flour
 Yeasts 542
- Forays
 Maryland 1966
- Fossil fungi 578
- Freeze-etching 176
- French, D. W. See Morton and French 714
- Fruitbody development in axenic culture 307
- Fruitbody index 308
- Fruiting structures
 Ceratocystis 1130
- Fungi imperfecti 850
- Furtado, João S. Alcoholic toluidine blue: a rapid method for staining nuclei in unfixed mycetozoa and fungi 406
- . A scal cytology of *Sordaria brevicollis* 453
- Further clarification of *Sporotrichum* species 797
- Gain, Ronald E., and H. L. Barnett. Parasitism and axenic growth of the mycoparasite *Gonatorhodiella highlei* 1122
- Gallegly, M. E. See Leal et al. 1041
- Galzin, A. *Tomentella* 133
- Gardner, M. W. See Yarwood and Gardner 707
- Genetics
 Metschnikowia 462
 Phytophthora 967

- Genus *Merulius* III. Species of *Merulius* and *Phlebia* proposed by Schweinitz and Peck 238
- Georgia soil fungi 107
- Gerdemann, J. W., and James M. Trappe. *Endogone incrassata*: a zygosporic species with hollow sporocarps 1204
- Gilbertson, R. L., and A. B. Budington. Three new species of wood-rotting fungi in the Corticiaceae 673
- Gilbertson, R. L., and J. L. Lowe. *Tyromyces graminicola* in North America 699
- GINNS, James H. The Genus *Merulius* III. Species of *Merulius* and *Phlebia* proposed by Schweinitz and Peck 238
- Gleason, Frank H., and Thomas D. Stuart. Nitrogen and sulfur requirements in the Leptomitales 1212
- Glucose inhibition and inheritance of pigment-producing ability in *Phytophthora* 967
- Goos, R. D. A new genus of the Hyphomycetes from Hawaii 171
- Growth
- Alternaria* 200
- Aqualinderella* 345
- Fusarium roseum* 428
- Growth of *Polyporus glomeratus*, *Poria obliqua*, *Fomes ignarius*, and *Pholiota squarrosa-adiposa* in media amended with manganese, calcium, zinc, and iron 604
- Grund, D. W., and D. E. Stuntz. Nova Scotian *Inocybes*. II. 925
- Guttman, Shelley-Marie. See Hendrix and Guttman 195
- Haard, R. T., and C. L. Kramer. Periodicity of spore discharge in the Hymenomycetes 1145
- Hammill, Terrence M. *Paecilomyces clavispore* sp. nov., *Trichoderma saturnisporum* sp. nov., and other noteworthy soil fungi from Georgia 107
- Hanlin, Richard T. [Review of] *Icones fungorum maris* 1079
- Harris, James L. Surface features of the fruiting structures of *Ceratocystis ulmi* 1130
- Harris, James L., and Willard A. Taber. Influence of certain nutrients and light on growth and morphogenesis of the synnema of *Ceratocystis ulmi* 152
- Hasija, S. K. Physiological studies of *Alternaria citri* and *A. tenuis* 289
- Hasija, S. K., and C. E. Miller. Pure culture studies of some Chytridiomycetes 1032
- Haustoria 609
- Haustorial mycoparasites 750
- Hawaii
- Hyphomycetes 171
- Held, A. A. Nutrition and fermentative energy metabolism of the water mold *Aqualinderella fermentans* 339
- Held, Abraham A., and Ralph Emerson. Oogonium production in *Aqualinderella fermentans* 359
- Helotiales of Eastern India—II 683
- Helotiales of India—X 486
- Henderson, D. M., P. D. Orton, and R. Watling. British fungus flora. Agarics and boleti: introduction; review 1083
- Hendrix, James W., and Shelley-Marie Guttman. Sterol or calcium requirement by *Phytophthora parasitica* var. *nicotianae* for growth on nitrate nitrogen 195
- Hess, W. M. See Stocks and Hess 176
- Hesseltine, C. W. See Kurtzman et al. 542
- W. G. Sorenson, and Mabel Smith. Taxonomic studies of the aflatoxin-producing strains in the *Aspergillus flavus* group 123
- Histochemical study of the composition of spore ornamentations in operculate discomycetes 234
- Hodges, C. S., Jr. See Jorgensen and Hodges 721
- Gloria M. Warner, and Clark T. Rogerson. A new species of *Penicillium* 1106
- Hormone A. 418
- Hosts and distribution records of Mexican smut fungi 1094
- Humber, Richard A. See Emerson and Humber 1085
- Humidity effect
- Boletus 310
- Hutchison, James A., and Max A. Nickerson. Comments on the distribution of *Basidiobolus ranarum* 585
- Hydrogen effect
- Alternaria* 290
- Hyphochytrium* 499
- Monascus* 1020
- Hylin, Valia. See Hylin et al. 200
- gaki. A chemically defined medium for the study of growth, sporulation, and presumptive sporogenic substances in *Alternaria tomato* 200
- Hylin, J. W., Valia Hylin, and M. Ara-Hymenomycetes
- spore discharge 1145

- Hyphal fusions in *Schizophyllum commune*. 2. Effects of environmental and chemical factors 1008
- Hypohytrium catenoides: A morphological and physiological study of North American isolates 492
- Hyphomycetes
Hawaii 171
- Hyphomycetes, aquatic
New York 516
- Hypocreaceae 869
- Hypocrealean fungi (Ascomycetes, Hypocreales) 865
- Hypocreales 865, 875
- Icones fungorum maris; review 1079
- Illman, W. I. On the use of mould versus mold for a mycelial fungus 1214
- Index of fungi. A supplement to Petrak's lists, 1920-1939; review 408
- India 587
Catenariaceae 587
Helotiales 683
- India, West Bengal
operculate discomycetes 690
- Influence of certain nutrients and light on growth and morphogenesis of the synnema of *Ceratocystis ulmi* 152
- Insect pathogens: Species originally described from their resting spores mostly as *Tarichium* species (Entomophthorales: Entomophthoraceae) 33
- Introduction to plant diseases; review 617
- Inyo peridermium 996
- Iron 604
- Jeffrey pine 996
- Johnson, George T. See McHan and Johnson 1018
- Jong, S. C., and Jack D. Rogers. *Penzigia frustulosa* in culture 851
- Jorgensen, J. R., and C. S. Hodges, Jr. Microbial characteristics of a forest soil after twenty years of prescribed burning 721
- Kar, A. K., and K. P. Pal. Some operculate discomycetes from West Bengal (India) 690
- and —. The Helotiales of Eastern India—II 683
- Karling, John S. The Plasmodiophorales; review 615
- Keller, Harold W. *Didymium saturnus*, a new myxomycete occurring on straw stacks 1061
- Kempton, Phyllis E., and Virginia L. Wells. Study on the fleshy fungi of Alaska. IV. A preliminary account of the genus *Helvella* 940
- Kernkampella: a new genus in the Uredinales 837
- Keys for the identification of fungi
Amerosporous ascomycetes on Ericaceae and Empetraceae 378
Ascomycetes subclass Ascomycetidae, orders 874
Botryosphaeria on Ericaceae and Empetraceae 378
Chroogomphus sect *Floccigomphus* 835
Clavicipitaceae, genera 900
Entomophthora (*Tarichium*) species 38
Helvella, Alaskan species 941
Hypocreaceae, genera 876
Lamproderma species 623
Omphalina, North American species of 4
Phomatospora on Ericaceae and Empetraceae 378
Physalospora on Ericaceae and Empetraceae 378
- Koch, William J. [Review of] The Plasmodiophorales 615
- Kohlmeyer, Jan and Erika. *Icones fungorum maris*; review 1079
- Korf, Richard P. See Dumont and Korf 608
- Kowalski, Donald T. A new foliicolous species of *Licea* 1057
- The species of *Lamproderma* 621
- Kramer, C. L. [Review of] Plant pathological methods 1215
- See Haard and Kramer 1145
- , and D. L. Long. An endogenous rhythm of spore discharge in *Ganoderma applanatum* 1138
- Kramer, C. L., and S. M. Pady. Ascospore discharge in *Hypoxylon* 1170
- Krebill, R. G., and D. L. Nelson. Nuclei of Jeffrey pine limb rust peridermia 996
- Kulik, Martin M., and Albert G. Brooks. Electrophoretic studies of soluble proteins from *Aspergillus* spp. 365
- Kurtzman, C. P., L. J. Wickerham, and C. W. Hesseltine. Yeasts from wheat and flour 542
- Laboulbeniales 741, 874
- Lake Champlain fungi 504
- Large sporophore of *Polyporus berkeleyi* 198

- Largent, David L., and Robert G. Benedict. Studies in the rhodophylloid fungi II: *Alboleptonia*, a new genus 437
- Larsen, Michael J. On species, subspecies, varieties and forms of *Tomentella* named and described by Bourdot and Galzin I 133
- . *Tomentalla* and related genera in North America VI. Some synonymy and additional new records 256
- Laser 227
- Leach, Charles M., and Minoru Aragaki. Effects of temperature on conidium characteristics of *Ulocadium chartarum* and *Stemphylium floridanum* 1071
- Leaf hair effect
Erysiphaceae 707
- Leaf surface and leaf hairs affect length of conidiophores of Erysiphaceae 707
- Leal, J. Antonio, V. G. Lilly, and M. E. Gallegly. Some effects of ammonia on species of *Phytophthora* 1041
- Leclair, Albert, and Henri Essette. Les Bolets; review 206
- Lentz, Paul L. [Review of] A Monograph of *Thelephora* (Basidiomycetes) 860
- Leptomitales 1212
- Les Bolets; review 206
- Le Tourneau, Duane. See Vega et al. 332
- Lichenes 851
- Light and electron microscopic studies of *Ascobolus stercorarius*. I. Nuclear divisions in the ascus 761
- Light effect
Boletus 310
Ceratocystis 152
Gonatorhodiella 1127
- Lilly, V. G. See Leal et al. 1041
- Lipid nutrition
Aqualinderella 346
- Lipid sac, zoospore 548
- Littlefield, Larry J., and Charles E. Bracker. Continuity of host plasma membrane around haustoria of *Melampsora lini* 609
- Loculate hymenium 831
- Loculoascomycetes 34
- Long, D. L. See Kramer and Long 1138
- Lowe, J. L. See Gilbertson and Lowe 699
- Lynd, J. Q. See Chang and Lynd 978
- MacLeod, Donald M., and Erwin Müller-Kögler. Insect pathogens: species originally described from their resting spores mostly as *Tarichium* species (Entomophthorales: Entomophthoraceae) 33
- Macroconidium appendage in *Microsporium gypseum* 1070
- Malloch, David. New concepts in the Microascaceae illustrated by two new species 727
- Manganese 604
- Martin, G. W., and C. J. Alexopoulos. The Myxomycetes; review 1080
- McCormick, W. H. See Timmer et al. 967
- McHan, Frank, and George T. Johnson. Zinc and amino acids: important components of a medium promoting growth of *Monascus purpureus* 1018
- McLaughlin, David J. Environmental control of fruitbody development in *Boletus rubinellus* in axenic culture 307
- McMorris, T. C. [Review of] Chemical and botanical guide to lichen products 615
- Media
Ceratocystis 153
chytrid 1033
Corn kernel fungi 68
Czapek's modified 125
Gonatorhodiella 1123
Hagem's 312
Hyphochytrium 493
kojic acid formation 125
Lindeberg 213
malt extract agar 177
mycoparasite 751
organic acids 332
Penicillium 76
Phytophthora 196
Sclerotium 1196
vegetable juice 201
- Media for
Monascus 1019
Phytophthora 968, 1043
- Mejstřík, V. *Cenococcum graniforme* in New Zealand 585
- Melanotaenium oxalidis sp. nov. on *Oxalis oregana* from Washington state 402
- Methionine effect
Catenaria 572
- Methods
callose test 234
catenaria culture 569
culture chamber 311
pectin test 235
sporangium production 399
- Method for staining nuclei 406
- Mexican smut fungi 1094
- Meyers, S. P., D. G. Ahearn, and W. L. Cook. Mycological studies of Lake Champlain 504

- Microascaceae 727
 Microbeam irradiation 227
 Microbial characteristics of a forest soil after twenty years of prescribed burning 721
 Middle Pennsylvanian Basidiomycete mycelium with clamp connections 578
 Miles, Philip G. See Ahmad and Miles 1008
 Miller, C. E. See Hasija and Miller 1032
 Miller, M. W. See Pitt and Miller 462
 Miller, Orson K., Jr., and James M. Trappe. A new *Chroogomphus* with a loculate hymenium and a revised key to section *Floccigomphus* 831
 Mineral effect
 Monascus 1021
 Mirza, J. H., and S. I. Ahmed. A new species of *Podospora* from Pakistan 1003
 Mislivec, Philip B., and John Tuite. Species of *Penicillium* occurring in freshly-harvested and in stored dent corn kernels 67
 — and —. Temperature and relative humidity requirements of species of *Penicillium* isolated from yellow dent corn kernels 75
 Mitochondrion 554
 Mitosis
 Ceratobasidium 474
 Pellicularia 474
 Monograph of *Thelephora* (Basidiomycetes); review 860
 Morphogenesis
 Ceratocystis 152
 Morphology
 Achlya 411
 Ascobolus 761
 Blastocladiella 548
 Ceratocystis 192, 1130
 conidiophore 707
 Hyphochytrium 492
 Kernkampella 1112
 Melampsora 609
 Microsporum 1070
 Patellariaceae 98
 Phytophthora 421
 Ravenelia 1112
 Sapromyces 531
 Sordaria 453
 Thielaviopsis 960
 zoospore 548
 Morphology and nutrition of *Chloridium chlamydosporis* (*Bisporomyces chlamydosporis*) 209
 Morphology of *Chaetomium trilaterale* 282
 Morphology of *Trybliidiella clavispora* 98
 Morton, H. L., and D. W. French. Attraction toward and penetration of *Polyporus dryophilus* var. *vulpinus* basidiospores by hyphae of the same species 714
 Mould versus mold 1214
 Mukerji, K. G. See Dakshini et al. 296
 — See Rao and Mukerji 301
 Müller-Kögler, Erwin. See MacLeod and Müller-Kögler 33
 Mushrooms, poisonous 597
 Muthappa, B. N. Morphology of *Trybliidiella clavispora* 98
 Mycelial protein 987
 Mycetozoa 406
 Mycoflora australis; review 1077
 Mycologia
 financial report 1219
 Mycological Society of America
 Forays
 1966, Md. 844
 Presidential addresses
 Rogerson, Clark T. 865
 Mycological studies of Lake Champlain 504
 Mycologists, group photographs
 1966, Maryland foray 847
 Mycologists, portraits
 Page, Robert Meredith 1086, 1088, 1090
 Rogerson, Clark T. frontisp. (5)
 Mycoparasites 750, 826
 Mycorrhizae 585
 Mycotrophein 1128
 Myxomycetes 846, 1061
 Nelson, D. L. See Krebill and Nelson 996
 New *Chroogomphus* with a loculate hymenium and a revised key to section *Floccigomphus* 831
 New concepts in the Microascaceae illustrated by two new species 727
 New foliicolous species of *Licea* 1057
 New genus of the *Hyphomycetes* from Hawaii 171
 New species of *Penicillium* 1106
 New species of *Phyllachora* 296
 New species of *Podospora* from Pakistan 1003
 New York
 Hyphomycetes, aquatic 516
 New Zealand
 Cenococcum 585
 Newell, Steven Y., and J. W. Fell. The perfect form of a marine-occurring yeast of the genus *Rhodotorula* 272
 Nickerson, Max A. See Hutchison and Nickerson 585

- Nineteen hundred sixty-six Maryland Foray 844
- Nitrate nitrogen
Phytophthora growth 195
- Nitrogen and sulfur requirements in the Leptomitales 1212
- Nitrogen effect
Alternaria 292
Ceratocystis 161, 192
Hyphochytrium 500
- Nitrogen nutrition
Sclerotium 1195
- Nitrogen source effect
Gonatorhodiella 1126
- Nitrogen utilization
Chloridium 219
Tieghemomyces 755
- Nolan, Richard A. Sulfur source and vitamin requirements of the aquatic Phycomycete, *Catenaria anguillulae* 568
- Nomenclatural notes. VI. A new name, Martininia, to replace Martinia (Sclerotiniaceae) 608
- Nonvolatile organic acids produced by Sclerotinia sclerotiorum in synthetic liquid media 332
- North America
Omphalina 1
Tomentella species 256
Tyromyces 699
- Notices 1217
Summer Institute in Systematics of 1968 619
- Novā Scotian Inocybes. II. 925
- Nuclear divisions
ascus 761
- Nuclei of Jeffrey pine limb rust peridermia 996
- Nutrient effect
Ceratocystis 152
- Nutrition
Boletus 323
Chloridium 209
Phytophthora 973
- Nutrition and antheridiol-induced branching in *Achlya ambisexualis* 411
- Nutrition and fermentative energy metabolism of the water mold *Aqualinderella fermentans* 339
- Nutritional requirements for axenic growth of some haustorial mycoparasites 750
- Observations on two species of the genus *Pustulina* 1187
- Occurrence of the deadly *Amanita verna* in the Pacific Northwest 597
- Ogawa, J. M. See Sonoda and Ogawa 1067
- Omphalina in North America 1
- Omvik, Aasa. Morphology and nutrition of *Chloridium chlamydosporis* (*Bisporomyces chlamydosporis*) 209
- On species, subspecies, varieties, and forms of *Tomentella* named and described by Bourdot and Galzin I 133
- On the use of mould versus mold for a mycelial fungus 1214
- Oogonium production in *Aqualinderella fermentans* 359
- Operculate discomycetes 234, 690
- Organic acids
Sclerotinia 332
- Organization and fine structure of the side body and its liquid sac in the zoospore of *Blastocladiella emersonii* 548
- Orton, P. D. See Henderson et al. 1083
- Osmotic pressure effect
Schizophyllum 1013
- Our mouldy earth; review 1084
- Pady, S. M. See Kramer and Pady 1170
- Paecilomyces clavispore sp. nov., *Trichoderma saturnisporum* sp. nov., and other noteworthy soil fungi from Georgia 107
- Page, Robert Meredith; biography 1085
- Pakistan
Podospora 1003
- Pal, K. P. See Kar and Pal 683, 690
- Palm spathes
Deuteromycetes 679
- Palmer, John G. See Cooke and Palmer 844
- Pant, D. C., and V. P. Tewari. Observations on two species of the genus *Pustulina* 1187
- Pao, Vivie M., and Jerome M. Aronson. Cell wall structure of *Sapromyces elongatus* 531
- Papavizas, George C. Carbon and nitrogen nutrition of *Sclerotium cepivorum* 1195
- Parasexual cycle in yeasts of the genus *Metschnikowia* 462
- Parasitism and axenic growth of the mycoparasite *Gonatorhodiella highlei* 1122
- Pavgi, M. S. See Singh and Pavgi 587
- Peck, C. H. Species of *Merulius* 238
- Penetration by hyphae, *Polyporus* 714

- Penzigia frustulosa in culture 851
 Perfect form of a marine-occurring yeast of the genus Rhodotorula 272
 Perfect state of Microsporium racemosum 856
 Peridermia 996
 Periodicity of spore discharge in the Hymenomycetes 1145
 Perithecium formation by Ceratocystis fimbriata in response to nitrogen and calcium 192
 Pfister, Donald H. A histochemical study of the composition of spore ornamentations in operculate discomycetes 234
 Photographs
 Kramer-Collins spore sampler 1173
 mist chamber 1140
 Phycomycete 724
 Phyllostictina plumbaginis sp. nov. 395
 Physiological studies of Alternaria citri and A. tenuis 289
 Physiology
 Achlya 411
 Aqualinderella 339, 359
 Catenaria 568
 Ceratocystis 152, 192
 Fusarium 428
 Hyphochytrium 492
 Leptomitales 1212
 Monascus 1018
 Penicillium 75
 Phytophthora 195, 967, 1041
 Pseudoperonospora 1067
 Schizophyllum 1008
 Sclerotium 1195
 Stemphylium 1071
 Ulocladium 1071
 Pitt, J. I., and M. W. Miller. The parasexual cycle in yeasts of the genus Metschnikowia 462
 Plant pathological methods; review 1215
 Plant pathology; review 207
 Plasma membrane 609
 Plasmodiophorales; review 615
 Ponnappa, K. M. Phyllostictina plumbaginis sp. nov. 395
 Production of sporangia by Phytophthora cinnamoni in axenic culture 397
 Proteins
 Aspergillus 365
 Protosexual 462
 Pteridophytes
 Isoetes 1037
 Zygopteris 578
 Pure culture studies of some Chytridiomycetes 1032
 Pyrenomycetes 874
 Pyridoxal effect
 Ceratocystis 155
 Pyrimidine effect
 Chloridium 216
 Rajendren, Richard B. Cytology and developmental morphology of Kernkampella breyniae-patentis and Ravenelia hobsoni 1112
 ———. Kernkampella: a new genus in the Uredinales 837
 Rao, V. Ranga, and K. G. Mukerji. Cytology of ascus in Ascotricha guamensis 301
 Reclassification of Nocardia acidophilus: a case for chemical taxonomy? 599
 Relative humidity
 Penicillium 75
 Reprinted books and articles 408
 Respiration 154
 Retention of infectivity and pathogenicity by Tuberculina maxima in culture 1209
 Reviews 206, 408, 615, 860, 1077, 1215
 Revision of the systematic position of Saprochaete saccharophila 791
 Reynolds, D. A. See Desjardins et al. 421
 Rhodophylloid fungi 437
 Robertson, John L., and Charles L. Wilson. Cellular effects from microbeam irradiation of Basidiobolus ranarum with a laser 227
 Rogers, Jack D. See Jong and Rogers 851
 Rogerson, Clark T. President, Mycological Society of America, 1969 (5) frontisp.
 ———. [Review of] British fungus flora 1084
 ———. [Review of] Index of fungi. A supplement to Petrak's lists, 1920-1939 408
 ———. See Hodges et al. 1106
 ———. The Hypocrealean fungi (Ascomycetes, Hypocreales) 865
 Rush-Munro, F. M., John M. B. Smith, and Dante Borelli. The perfect state of Microsporium racemosum 856
 Rust peridermia 996
 Scanning electron microscope
 Ceratocystis 1130
 Schweinitz, L. D. de. Species of Merulius 238
 Sclerotiniaceae 608

- Shigo, Alex L. Growth of *Polyporus glomeratus*, *Poria obliqua*, *Fomes ignarius*, and *Pholiota squarrosa-adiposa* in media amended with manganese, calcium, zinc, and iron 604
- Side body, zoospore 548
- Silva-Hutner, Margarita. See Weitzman et al. 89
- Singer, Rolf. Mycoflora australis; review 1077
- . [Review of] The Boleti of northeastern North America 1215
- . The topotype of *Boletus amabilis* Peck 590
- Singh, Harnek. See Thind and Singh 486
- Singh, U. P., and M. S. Pavgi. Two noteworthy members of Catenariaceae from India 587
- Smith, John M. B. See Rush-Munro et al. 856
- Smith, Mabel. See Hesseltine et al. 123
- Smut fungi, Mexican 1094
- Snell, Walter H. [Review of] Les Bolets 206
- Snell, Walter H., and Esther A. Dick. The Boleti of northeastern North America; review 1215
- Soil fungi 210, 721, 1032
- Georgia 107
- Hyphochytrium* 492
- Soil microfloral interactions with aflatoxin synthesis and degradation 978
- Somatic mitosis in *Ceratobasidium flavescens* and *Pellicularia koleroga* 474
- Some amerosporous Ascomycetes on Ericaceae and Empetraceae 377
- Some effects of ammonia on species of *Phytophthora* 1041
- Some operculate discomycetes from West Bengal (India) 690
- Sonoda, R. M., and J. M. Ogawa. Characteristics of *Pseudoperonospora humuli* sporangia produced in water drops on systemically infected hop leaves 1067
- Sorenson, W. G. See Hesseltine et al. 123
- Species of *Lamproderma* 621
- Species of *Penicillium* occurring in freshly-harvested and in stored dent corn kernels 67
- Spermatophytes
- Abies* 591, 595, 596
- Acalypha* 699
- Acer* 517, 604
- Allium* 481
- Aster* 712
- Betula* 604
- Butia* 679
- Cannabis* 412
- Carya* 108
- Cornus* 55
- Cucumis* 710
- Empusa* 34
- Enterolobium* 171
- Eucalyptus* 1057
- Fagus* 517, 604, 1123
- Fragaria* 710
- Fraxinus* 604
- Haemanthus* 232
- Juniperus* 591
- Liquidambar* 1033
- Lonicera* 712
- Musa* 730
- Phaseolus* 710
- Phoenix* 679
- Picea* 591, 595, 944
- Pinus* 107, 591, 673, 721, 1037
- Platanus* 710
- Populus* 517, 591
- Pseudotsuga* 595, 596
- Quercus* 108, 198
- Robinia* 43
- Salix* 517
- Trifolium* 712
- Tsuga* 834
- Ulmus* 517
- Sphaeriales 875
- Sporangia 397, 1067
- Sporangium production
- Phytophthora* 397
- Spore discharge
- Ganoderma* 1130
- Hymenomyces* 1145
- Spore germination
- Gonatorhodiella* 1127
- Spore ornamentation
- operculate discomycetes 234
- Spores, resting 33
- Sporogenic substances
- Alternaria* 200
- Sporotrichum* species, further clarification of 797
- Sporulation
- Alternaria* 200
- Spur, J. See Benedict et al. 597
- Sterol or calcium requirement by *Phytophthora parasitica* var *nicotianae* for growth on nitrate nitrogen 195
- Sterols 428
- Stipes, R. J. Comparative mycelial protein and enzyme patterns in four species of *Ceratocystis* 987
- Stocks, D. L., and W. M. Hess. Ultrastructure of dormant and germinated basidiospores of a species of *Psilocybe* 176
- Stuart, Thomas D. See Gleason and Stuart 1212

- Studies in the rhodophylloid fungi II: Alboleptonia, a new genus 437
- Studies on the fleshy fungi of Alaska. IV. A preliminary account of the genus *Helvella* 940
- Stuntz, D. E. See Benedict et al. 597
- See Grund and Stuntz 925
- Sugar effect
- Schizophyllum* 1012
- Sulfur requirements
- Leptomitales* 1212
- Sulfur source and vitamin requirements of the aquatic *Phycomycete*, *Catenaria anguillulae* 568
- Surface features of the fruiting structures of *Ceratocystis ulmi* 1130
- Synnema
- Ceratocystis* 152
- Taber, Willard A. See Harris and Taber 152
- Tandon, R. K. See Dakshini et al. 296
- Tavares, Isabelle I. The appendage of *Amorphomyces* (*Laboulbeniales*) 741
- Taxonomic studies on the aflatoxin-producing strains in the *Aspergillus flavus* group 123
- Taylor, John J. Further clarification of *Sporotrichum* species 797
- Temperature and relative humidity requirements of species of *Penicillium* isolated from yellow dent corn kernels 75
- Temperature effect
- Alternaria* 290
- Boletus* 309, 316
- Ceratocystis* 168
- Hyphochytrium* 498
- Monascus* 1020
- Schizophyllum* 1012
- Stemphylium* 1071
- Ulocladium* 1071
- Tentative identification and influence of sterols and dimethyl sulfoxide (DMSO) on the growth and survival of *Fusarium roseum* 428
- Terms
- epispore 47
- exosporium 47
- meiosis 762
- Tewari, V. P. See Pant and Tewari 1187
- Thiamine effect
- Ceratocystis* 155
- Chloridium* 215
- Gonatorhodiella* 1126
- Tieghemomyces* 753
- Thiazole effect
- Chloridium* 216
- Thind, K. S., and Harnek Singh. The *Helotiales* of India—X 486
- Three new species of wood-rotting fungi in the *Corticaceae* 673
- Tillman, R. W., and G. A. Bean. Tentative identification and influence of sterols and dimethyl sulfoxide (DMSO) on the growth and survival of *Fusarium roseum* 428
- Timmer, L. W., D. C. Erwin, and W. H. McCormick. Glucose inhibition and inheritance of pigment-producing ability in *Phytophthora* 967
- Toluidine blue stain 406
- Tomentella and related genera in North America VI. Some synonymy and additional new records 256
- Topotype of *Boletus amabilis* Peck 590
- Trace element effect
- Chloridium* 216
- Trappe, James M. See Gerdemann and Trappe 1204
- See Miller and Trappe 831
- Truesdell, L. C. See Cantino and Truesdell 548
- Tsao, Peter H., and J. L. Bricker. Acropetal development in the "chain" formation of chlamydospores of *Thielaviopsis basicola* 960
- Tuite, John. Plant pathological methods; review 1215
- See Mislivec and Tuite 67, 75
- Two noteworthy members of *Catenariaceae* from India 587
- Tyromyces graminicola* in North America 699
- Ultrastructure
- Ascobolus* 761
- Blastocladiella* 548
- Ceratocystis* 1130
- Melampsora* 609
- Phytophthora* 421
- Ultrastructure of dormant and germinated basidiospores of a species of *Psilocybe* 176
- Uredinales 837
- Ustilaginales, Mexico 1094
- Vega, Rogelio R., Dennis Corsini, and Duane LeTourneau. Nonvolatile organic acids produced by *Sclerotinia sclerotiorum* in synthetic liquid media 332
- Verticillium psalliotae* as a parasite of *Rhopalomyces* 826
- Vitamin deficiency
- Tieghemomyces* 755
- Vitamin effect
- Chloridium* 214
- Monascus* 1021
- Vitamin requirements 157
- Catenaria* 568

- Wagner, Diane Te Strake, and Clinton J. Dawes. Revision of the systematic position of *Saprochaete saccharophila* 791
- Warner, Gloria M. See Hodges et al. 1106
- Washington
 Melanotaenium 402
- Water mold
 Aqualinderella 339
- Watling, R. See Henderson et al. 1083
- Weitzman, Irene, Penelope W. Alderdice, and Margarita Silva-Hutner. Chromosome numbers in species of *Nannizzia* and *Arthroderma* 89
- Wells, Kenneth. Light and electron microscopic studies of *Ascobolus stercorearius*. I. Nuclear divisions in the ascus 761
- Wells, Virginia L. See Kempton and Wells 940
- Wheat, yeasts 542
- Wheeler, B. E. J. An introduction to plant diseases; review 617
- Wicker, Ed F. Retention of infectivity and pathogenicity of *Tuberculina maxima* in culture 1209
- Wickerham, L. J. See Kurtzman et al. 542
- Wilson, Charles L. See Robertson and Wilson 227
- Wolf, Frederick A. A large sporophore of *Polyporus berkeleyi* 198
- Wood decay fungi 604
- Wood-rotting fungi
 Corticaceae 673
- Wright, Jorge E. *Agaricostilbum*, a new genus of Deuteromycetes on palm spathes from Argentina 679
- Yarwood, C. E., and M. W. Gardner. Leaf surface and leaf hairs affect length of conidiophores of *Erysiphaceae* 707
- Yeasts 462
 flour 542
 Lake Champlain 505
 marine 272
 wheat 542
- Yeast extract effect
 Tieghemomyces 753
- Zentmyer, G. A. See Chen and Zentmyer 397
- . See Desjardins et al. 421
- Zinc 604
- Zinc and amino acids: important components of a medium promoting growth of *Monascus purpureus* 1018
- Zoospores
 Phytophthora 421

FUNGUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, the infraspecific taxa. New taxa and the pages where they are published are in **bold-face type**. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

- Absidia* 114; *butleri* 114, 115; *spinosa* 829; *subpoculata* 114, 115
- Acanthorhynchus* 386; *vaccinii* f 387
- Achlya ambisexualis* 411–420, f 416
- Aciculosporium* 901, 904; take 904
- Acremonium* 800; *cleoni* 60
- AcrospERMUM viridulum* 892
- Actiniopsis* 884, 890; *bambusae* 890
- Actinospora megalospora* 519, 520, 522, 525
- Acytostelium leptosomum* 539
- Agaricostilbum*** 679, 680–682; ***palmicola*** 680–682, f 681
- Agaricus* 848, 1151; trib *Omphalia* 3; *austini* 27; *bisporus* 326, 327; *campestris* 189; *chryseus* 20; *chrysophyllus* 20, 21; *ericetorum* 3, 13; *fibuloides* 10; *fibulus* var *conicus* 27; *grossulus* 26; *hoffmani* 18, 19, 20; *lilacifolius* 28; *lilacinus* 28; *montanus* 28; *oculus* 28; *olivarius* 7; *postii* 10; *rhododendri* 29; *rugosodiscus* 29; *scaber* 935, 936; *scabriusculus* 29; *sericellus* 438, 439, 440, 446; var *lutescens* 448; *sylvicola* 1151; *telmatiaeus* 30; *umbelliferus* 13; var *abiignus* 25
- Ahlesia* 881, 890; *lichenicola* 890
- Akanthomyces aculeatus* 850
- Alatospora acuminata* 519–523

- Alboleptonia* 437-439-452; *adnatifolia* 440, 445-446, 450; *earlei* 440; 441; ochracea 437, 438, 450; var *ochracea* 440, 443-444, 445, 446; var *sphaerospora* 440; 444-445; sericella 438, 447, 448; var *cinereicolor* 440, 446, 447-448, 450; var *lutescens* 446; *fcinericola* 450; *flutescens* 444, 448-450, 451; *frosealbocitrina* 451; var *nivea* 440, 446-447, 446, 450; var *sericella* 440, 446; *fcinericola* 441; *flutescens* 441, 451; *frosealbocitrina* 440, 450, 451; *subsericella* 440, 441-443, 446, 450
Albomyces 901
Albugo 483
Aleuria cupularis 1189
Aleurisma carnis 800, 803; *guilliermondii* 803
Allantonectria 887, 890; *yuccae* 890
Allescheria 738; *boydii* 735, 738
Allomyces 197, 483, 566, 569, 575; *macrognus* 574; *moniliformis* 569, 574
Alternaria 850, 1071, 1074; *citri* 289-295; *consortiale* 1074; *solani* 707; *tenuis*, 289-295, 1073, 1074; *tomato* 200-202
Amanita 597, 845; *agglutinata* 848; *bisporigera* 597; *brunnescens* 848; *chlorinosma* 848; *citrina* 598; *phalloides* 597, 598; *porphyria* 598; *solitaria* 848; *tenuifolia* 597; *verna* 597-599; *virosa* 597
Amorphomyces 741-749; *falagriae* 741, 743, 745; *schistogeniae* 743; *stenusae* 743
Amphinectria 886, 890; *portoricensis* 890
Anguillospora longissima 519-523; *pseudolongissima* 519-523
Anopodium 1006
Anthostoma 682
Apiocrea 871, 886, 890; *chrysosperma* 890
Apiognomonina errabunda 848
Apiosporina morbosa 848
Apodachlya 352, 363, 1212, 1213; *brachynema* 224, 531, 540, 1212; *minima* 1212, 1213; *punctata* 1212
Apodachlyella 363, 1213; *completa* 1212, 1213
Aponectria 882, 890; *inaurata* 890
Aqualinderella 363, 1213; *fermentans* 339-358, f 347, 359-364, f 361
Arachnocrea 871, 886, 890; *stipata* 890
Araiospora 1212, 1213
Arcyria cinerea 846; *denudata* 846; *incarnata* 846; *nutans* 846
Armillaria mellea 483
Armillariella chrysophylla 20
Arthrobotrys 1029; *musiformis* 1123, 1128
Arthroderma 89-97, 856; *benhamiae* 89; *flavescens* 90, f 93, 94; *gertleri* 90, f 94; *simii* 89, f 93; *uncinatum* 89, f 93, 94
Articulospora moniliforma 519-522, 527; *tetracladia* 519-523, 525
Aschersonia 902
Ascobolus immersus 762; *stercorarius* 761-790, f 763, f 766, f 769, f 770, f 771, f 773, f 775, f 777, f 779, f 781, f 782, f 784, f 785
Ascophyta pisi 200
Ascolanthanus 888, 890; *trispurus* 890
Ascophanus fimicola 690; *verrucosporus* 690
Ascopolyporus 867, 903, 904; *polychrous* 904
Ascospaeropsis 1187
Ascotricha guamensis 301-306, f 303, f 304
Aspergillus 67, 123, 365-376, 1029; *flavus* 83-85, 123-132, 365-370, 372-375, 429; var. *columnaris* 124, 126, 128, 129; 131; *fumigatus* 367-370, 372, 374, 375; *glaucus* 83-85, 71, 366; *leporis* 367, 368, 370, 374; *niger* 428, 429, 984; *ochraceus* 366, 367, 369, 370, 374, 375; *oryzae* 124, 126, 128, 129, 131, 367, 368, 370-374; *parasiticus* 123, 124, 126, 128-132, 366-368, 370, 372-374, 979-982, 984; *parvulus* 724; *tamarii* 126, 367, 368, 370, 373, 374
Asteromella saccardoi 381
Atkinsiella 537, 538; *dubia* 535
Atkinsoniella 901, 904; *hypoxylon* 904
Aurantioporus croceus 848
Aureobasidium 511, 512, f 810, f 816, 819, 967; *follicolum* 819; *pullulans* 510, f 512, 513, 544, 545
Bagnisiopsis 869
Balansia 867, 880, 900, 901, 904; *claviceps* 904
Balansiella 900, 904; *orthocladae* 904
Balansiopsis 900, 904; *gaduae* 904
Balzanella 876, 877, 890; *platensis* 890
Barya 903, 904; *parasitica* 904
Basidiobolus 967; *ranarum* 227-233, f 229, f 231, 585-587
Basidioradulum radula 848
Battarrina 879, 890; *inclusa* 890
Beauveria 820; *bassiana* 108, 820; *epigaea* 820; *globulifera* 820; *sulfurescens* f 810, 823
Belonioscypha culmicola 491; *sessilis* 489, f 489, f 490
Berkelella 886, 890; *caledonica* 890
Bertia moriformis 848
Bisporomyces 117, 209; *chlamydosporis* 209-226; *lignicola* 209

- Blastocladia* 354; *pringsheimii* 568
Blastocladiella emersonii 548-567, f 550, f 552, f 553, f 556, f 558, f 560, f 562, f 564, f 565; *simplex* 1034, f 1037, 1039
Boletinus merulioides 849
Boletus 324, 594, 595, 599, 600, 848, 1157; 1159; *affinis* 848; *amabilis* 590-596; *edulis* 325, 328; *fraternus* 848; *lakei* 595; *piperatus* 848; *rubnellus* 307-331; *speciosus* 848
Bombardia 1006
Bondarzewia 703
Bonordenia 886, 891; *aurantia* 891
Borinquenia 885, 891; *miconiae* 891
Botrydina 12, 15; *vulgaris* 4, 12, 14
Botryosphaeria 377-379; *diapensiae* 384; *dothidea* 377; 848; *empetri* 384, 392; *foliorum* 382; *hyperborea* 378, f 380, 383, 384, 393; *philoprina* 848; *quercuum* 377; *rhodora* 378, f 380, 381, 382; *vaccinii* 378, 379, f 380, 381, 392
Botryotrichum piluliferum 108, f 113, 117
Botrytes 679
Botrytis 725, 815; *densa* 816, 817; *olivacea* 814, 815, 823; *sulfurescens* f 816
Brachysporella setosa 850
Brauniellula 831, 835; *nancyae* 831
Bresadolella 882, 891; *aurea* 891
Broomella leptogicola 896
Byssoacallis 886, 891; *phoebe* 891
Byssoecorticium atrovirens 675; *neomexicanum* 673-675, f 674; *pulchrum* 675
Byssostilbe 903, 904; *stilbiger* 904
Calcarisporium 808; *parasiticum* 715, 750, 1122, 1123, 1124, 1128
Calocera cornea 848
Calonectria 884, 889, 891, 895; *sect Chiajaea* 891; *ambigua* 898; *balansiae* 899; *daldiniana* 891; *graminicola* 895
Calostilbe 887, 891; *longiasca* 891
Calvatia maxima 199
Calyptronectria 881, 885, 891; *platensis* 891
Candida 510-513, 544, 545; *albicans* 511, 512; *albidus* 545; *atmosphaerica* 545; *chodati* 546; *krusei* 510, 511; *parapsilosis* 511; *pulcherrima* 462, 463; *reukauffii* 462, 463; *tropicalis* 511
Cantharellus 239, 247; *cibarius* 848; *cinnabarinus* 845, 848; *confluens* 242; *cupressi* 242; *incarnatus* 243
Capillaria bombycina 800
Carlia millepunctata 383
Catenaria 483, 569, 574, 575, 587, 589; *allomyces* 589; *anguillulae* 568-577, 589; *indica* f 588, 589; *sphaerocarpa* 589; *verrucosa* 589
Catenophlyctis variabilis 568, 587, 590
Cenococcum graniforme 585
Cephalosporium f 512, 513, 817; *acremonium* 82, f 816, 817; *asperum* 724
Ceratiomyxa fruticulosa 846
Ceratobasidium flavescens 474-485, f 477, f 479
Ceratocystis 987-995, 1130; *autographa* 1133; *coerulescens* 988, 989, f 990, 991, 992, f 993, 994; *fagacearum* 481, 715, 786, 988, 989, f 990, 991, 992, f 993, 994; *fimbriata* 192-195, 988, 989, f 990, 991, 992, f 993, 994; *parasiticum* 719; *piceae* 1133; *ulmi* 152-170, f 162, f 163, f 166, f 167, 989, f 990, 991, 992, f 993, 994, 1130-1137, f 1131, f 1132, f 1133, f 1134, f 1135, f 1136; *variospora* 192
Cerastostomella 384; *ulmi* 1042
Cerrina unicolor 848
Cesatiella 880, 891; *australis* 891
Ceuthospora lycopodii 850
Chaetocrea 886, 891; *parasitica* 891
Chaetomella raphigera 1123, 1126
Chaetomium 194, 222, 282, 286, 287, 288, 301, 305, 306, 735, 760; *abuense* 287; *apiculatum* 287; *brasiliense* 286, 287; *brevipilum* 108, f 113, 115; *erraticum* 282, 286; *funiculorum* 108, 282, 286, 287; *globosum* 223, 286, 287; *hyderabadense* 287; *piluliferum* 117; *seminudum* 108, f 113, 115; *trigonosporum* 733; *trilaterale* 282-288, f 285; *uniporum* 287
Chalara 960
Chalaropsis 960
Charonectria biparasitica 892
Cheilymenia 236
Chiajaea 884, 889, 891; *rhodomela* 891
Chlamydozyna 463, 467, 469, 472; *zygota* 467, 470
Chloridium 117, 209, 214, 216, 218, 219, 221; 222; *apiculatum* 117; *chlamydosporis* 108, f 116, 117, 209-226, f 211, f 212, f 213, 218, 286, 287
Chromocrea 867, 877, 891; *gelatinosa* 891
Chromocreopsis 877, 891; *cubispora* 891
Chroogomphus 831-836; *sect Chroogomphus* 835; *sect Floccigomphus* 831-836; *helveticus* 836; *leptocystis* 836; *loculatus* f 832, 833-835, f 834, 836; *pseudovinicolor* 835, 836; *sibiricus* 835; *tomentosus* 835, 836
Chrysoglutin 888, 891; *biasoletianum* 891
Chrysosporium 797, 803, 815, 818, 821; *asperatum* 815; *corii* 800; *luteum*

- f 799, 801, f 813, 815, 821, 823; merdarium 800, 821; **olivaceum** 823; pannorum f 799, 800, 803, f 805, f 807, 812, f 813, 814, 818, 823; parvum 815; **pollaccii** 821, 823; tropicum f 802, 806, f 811, f 813, 821, 822
- Chytriumyces aureus* 1034; *hyalinus* 1035
- Ciboriopsis* 683, 685, 687; **brunii** 685, f 686; **carnea** 685-687, f 686
- Ciliciopodium* 679; *magnusii* 679; *roseum* 679
- Ciliomyces* 887, 891; *oropensis* 891
- Contractia taubertiana* 1095
- Cladobotryum* 803
- Cladonia cristatella* 851
- Cladosporium* 724, 725, 822, 967, 1123, 1126
- Clavaria* 848
- Clavariadelphus* 591
- Clavariopsis aquatica* 519, 521-523
- Clavatospora stellata* 519-522; *tentacula* 519, 520, 522, 523, 525
- Claviceps* 866-868, 900, 904; *pallida* var *orthocladae* 904; *purpurea* 904
- Clavularia* 679
- Clintoniella* 886, 891; *apiculata* 892
- Clitocybe* 1, 2, 27-30, 205; *albimontana* 28; *angustissima* 29; *gibba* 848; *hoffmani* 18; *hohensis* 27, 28, 30; *hudsoniana* 15, 17; *hydrogramma* 28; *icmadophila* 30; **isabellina** 28; *leptoloma* 27; *luteicolor* 23; *luteophylla* 20; *luteovitellina* 11; *postii* 10; *scyphoides* var *submicropus* 447; *smaragdina* 8; *strombodes* 7, 848; *subclavata* 5; *tabescens* 848; *tenuissima* 203-205, f 204; *truncicola* 911-924, f 913, f 914, f 916, f 917, f 918, f 919, f 920; *umbellifera* 14
- Clitocybula* 29; *oculus* 28
- Clitopilus* 437; *adnatifolius* 445; *earlei* 441; *prunulus* 849
- Cochilobolus carbonum* 428
- Coleosporium asteris* 849; *delicatum* 849
- Collaria* 627; *arcyronema* 625, 627; *lurida* 627; *rubens* 627
- Colletotrichum dematium* 850
- Collybia* 308, 1152, 1159; *dryophila* 1155, 1158, 1160, 1163
- Comatricha* 645, 671; *elegans* 627, 635, 671, 668; *fusiforme* 664, 668, 671; *lurida* 627, 668; *pacifica* 643, 668, 671; *shimekiana* 624, 625
- Conidiobolus* 1089, 1092
- Coniochaeta pulverulacea* 848
- Coniophora* 1146
- Cookeina* 690; *sulcipes* f 692, f 693, 694; *tricholoma* f 692, f 693, 694
- Coprinaria* 848
- Coprinus* 1150, 1151; *congregatus* 327; *lagopus* 329, 912
- Corallomyces* 887, 892; *elegans* 892; *heinsenii* 892
- Corallomycetella* 888, 892; *heinsenii* 892
- Cordana pauciseptata* 850
- Cordycepioides* 876, 892; *bisporus* 892
- Cordyceps* 867, 900, 901, 904, 905; subg *Epichloe* 905; *blattae* 905; *militaris* 904; *variabilis* 848
- Corethrospis hominis* 803
- Coriolus hirsutus* 849; *versicolor* 848, 849
- Coriscium* 12; *viride* 4, 17
- Corticium* 849; *echinosporum* 150; *furfuraceum* 849; *ochrofarcum* 849; *scutellare* 849; *serum* 911; *sulphureum* 849
- Cortinarius* 1152; *delibutus* 849; *scandens* 849
- Corynetes atropurpureus* 848
- Coscinaria* 902, 904; *langloisii* 904
- Cosmospora* 883; 892; *coccinea* 892
- Craterellus* 247, 849
- Creomelanops* 879, 892; *xanthocephala* 892
- Creonectria* 867, 888, 892; *purpurea* 892
- Creopus* 867, 877, 891, 892; *gelatinosus* 892
- Crepidotus* 846, 1152; *applanatus* var *applanatus* 849; *crocophyllus* 849
- Cribraria microcarpa* 846
- Cristella farinacea* 849
- Cronartium*, 1001; *coleosporioides* 1002; *flaccidum* 1002; *ribicola* 1209
- Cryptococcus* 511, 512; *albidus* 510, 544, 546; *laurentii* 544, 545
- Cryptodiscus lichenicola* 897
- Cryptoleptosphaeria* 880, 892; *moravica* 892
- Cryptonectriella* 880, 892; *biparasitica* 892
- Cryptothecium* 885, 892; *javanicum* 892
- Ctenomyces pannorum* f 816; *serratus* 815
- Culicidospora gravida* 519, 520, 522, 525
- Cunninghamella echinulata* 724, 829; *elegans* 190
- Curvularia* 850
- Cyanocephalum* 882, 892; *murorum* 892
- Cyanoderma* 880, 885, 892; *viridulum* 892
- Cyathus striatus* 849
- Dacrymyces deliquescens* var *deliquescens* 849; *palmaris* 849
- Dacryopinax* 251
- Daedalea quercina* 849
- Daedaleopsis confragosa* 849
- Daldinia concentrica* 848, 1186; *vernica* 848

- Darlucula filum 850
 Dasyscyphus 683, 684, 689; ellisianus 848; nudipes var minor f 684, 685; **oblongus-ellipticus** 683-685, f 684; virgineus 848
 Debaryella 880, 892; hyalina 892
 Dendryphiopsis atra 850
 Dexteria 884, 892; pulchella 892
 Dialhypocrea 888, 892; puiggariana 892
 Dialonectria 883, 893; episphaeria 893
 Diaporthes 384, 870; eres 848; leiphaema var raveneliana 848
 Dictydium cancellatum 846
 Diderma cingulatum 1064; cor-rubrum 1064, f 1065, 1066; effusum 846; karstensii 1066; lyallii 1066; saturnus 1066; subincarnatum 1057; trevylani 1064
 Didymium subg Didymium 1063; difforme 1063; iridis 846; karstensii 1064; laxifila 1064; listeri 1063; ovoideum 846; quitense 1063; rugulosporum 1064; **saturnus** 1051, f 1062, 1063, 1064, f 1065; trachysporum 1061, 1964; vaccinum 1064
 Didymocrea 888, 893; sadasivanii 893
 Didymosphaeria sadasivanii 893
 Diheterospora catenulata 108, f 116, 118; chlamydosporia 118
 Dimargaris bacillispora 751, f 757, 758, 759; verticillata 751, 756, f 757, 758, 759
 Dimerium hypoxylon 848
 Dioicomyces 748
 Dipodomycetes 741
 Discochora rhodora 381
 Discosphaerina 379
 Dispira cornuta 751, 752, f 754, 756, 758, 759; parvispora 758; simplex 751, 756, f 757, 760
 Ditiola radicata 845, 849
 Doratomyces 728, 737
 Dothichloe 867, 901, 904; aristidae 904
 Dothidea millepunctata 382; tumefaciens 898
 Dubitatio 880, 893; dubitationum 893
 Dusiella 902, 904, 905; tuberiformis 904
 Ecclia 437; cinericola 450, 451; nivea 446, 447; roseoalbocitrina 451
 Echinodopsis 902, 905; tuberiformis 905
 Eleutheromyces longisporus 893, 897
 Eleutherosphaera 882, 893; longispora 893
 Ellisodopsis smilacis 848
 Empusa 36; aphidis 55; megasperma 36, 50; muscae 34; radicans 57; sphaerosperma 57
 Endogone 1205, 1208; incrassata 1204-1208, f 1206; lactiflua 1205, 1206, f 1206; pisiformis 1205, 1206, f 1206, 1207; tuberculosa 1207
 Endothia gyrosa 848; parasitica 848
 Endoxyla 384
 Enerthenema muscorum 657
 Entoloma 437; cuspidatum 849; murrillii 441; niveum 447; salmonium 849; strictius 849; subsericellum 441, 442
 Entomophthora 34, 36, 37; subg Lophorhiza 45; americana 41, 42, 45; aphidis 34, 36, 55, 56; atrosperme 34, 39, 40; bereshkovaeana 34, 39, 40; bullata 34, 38, 40, 41; calliphorae 34, 38, 40, 41, 42, 45; calopteni 34, 38, 40, 42, 43; carpentieri 45; cimbicis 34, 38, 40, 43; cleoni 34, 38, 40, 44; coleopterorum 34, 38, 40, 44, 45; cyrtoneurae 34, 38, 40, 42, 45; dissolvens 34, 38, 40, 45, 46, 53; exitialis 56; ferruginea 56; gammae 34, 39, 40, 46, 48; grylli 43; hylemyiae 34, 38, 40, 47; inexpectata 34, 38, 40, 47; jaapiana 34, 38, 40, 48; jaczewski 34, 39, 40, 48, 49; lauxaniae 34, 38, 40, 49, 53, 54; lavrovia 34, 38, 40, 49; megasperma 34, 36, 39, 40, 50, 51; muscivora 41, 42, 45; pallida 34, 38, 40, 51, 52; phytonomi 34, 38, 40, 52, 53, 57, 58; planchoniana 56; pooreana 34, 61; punctata 34, 39, 40, 52, 53; pustulata 34, 39, 40, 53; radicans 36, 57, 58; reticulata 34, 62; richieri 34, 38, 40, 49, 52, 53, 54, 59; sphaerosperma 34, 35, 57, 58; staritzii 34, 58, 59; tenthredinis 43; thaxteriana 56; tipulae 34, 39, 40, 54; zabrae 34, 40, 49, 55; zabrii 49
 Entyloma 405
 Epichloe 867, 901, 905; hypoxylon 904; typhina 867, 905
 Epicrea 881, 893; insignis 893
 Epidermophyton floccosum 366
 Epinectria 883, 893; meliolae 893
 Erispora 880, 893; parasitica 893
 Erysiphe cichoracearum 709, 711, 712; polygoni 709, 710, 711, 713
 Escherichia coli 576
 Eurotiopsis gayoni 738
 Eutryblidiella 105; sabina 98, 102, 104
 Eutypa spinosa 848
 Exidia glandulosa 848, 849; nucleata 189, 849
 Feracia 893; balearica 893
 Filariomyces 741
 Flagellospora curvula 519-523
 Flammulina velutipes 308, 326, 327
 Fleischeria 902, 905; javanica 905
 Fomes annosus 1139, 1144, 1146, 1168; igniarius 604, 605, 607, 1139, 1146, 1167

- f 799, 801, f 813, 815, 821, 823; merdarium 800, 821; **olivaceum** 823; pannorum f 799, 800, 803, f 805, f 807, 812, f 813, 814, 818, 823; parvum 815; **pollaccii** 821, 823; tropicum f 802, 806, f 811, f 813, 821, 822
- Chytriumyces aureus* 1034; *hyalinus* 1035
- Ciboriopsis* 683, 685, 687; **brunii** 685, f 686; **carnea** 685-687, f 686
- Ciliciopodium* 679; *magnusii* 679; roseum 679
- Ciliomyces* 887, 891; *oropensis* 891
- Cintractia taubertiana* 1095
- Cladobotryum* 803
- Cladonia cristatella* 851
- Cladosporium* 724, 725, 822, 967, 1123, 1126
- Clavaria* 848
- Clavariadelphus* 591
- Clavariopsis aquatica* 519, 521-523
- Clavatospora stellata* 519-522; tentacula 519, 520, 522, 523, 525
- Claviceps* 866-868, 900, 904; *pallida* var *orthocladae* 904; *purpurea* 904
- Clavularia* 679
- Clintoniella* 886, 891; *apiculata* 892
- Clitocybe* 1, 2, 27-30, 205; *alhimontana* 28; *angustissima* 29; *gibba* 848; *hoffmani* 18; *hohensis* 27, 28, 30; *hudsoniana* 15, 17; *hydrogramma* 28; *icmadophila* 30; **isabellina** 28; *leptoloma* 27; *luteicolor* 23; *luteophylla* 20; *luteovitellina* 11; *postii* 10; *scyphoides* var *submicropus* 447; *smaragdina* 8; *strombodes* 7, 848; *subclavata* 5; *tabescens* 848; *tenuissima* 203-205, f 204; *truncicola* 911-924, f 913, f 914, f 916, f 917, f 918, f 919, f 920; *umbellifera* 14
- Clitocybula* 29; *oculus* 28
- Clitopilus* 437; *adnatifolius* 445; *earlei* 441; *prunulus* 849
- Cochilobolus carbonum* 428
- Coleosporium asteris* 849; *delicatulum* 849
- Collaria* 627; *arcyriionema* 625, 627; *lurida* 627; *rubens* 627
- Colletotrichum dematium* 850
- Collybia* 308, 1152, 1159; *dryophila* 1155, 1158, 1160, 1163
- Comatracha* 645, 671; *elegans* 627, 635, 671, 668; *fusiforme* 664, 668, 671; *lurida* 627, 668; *pacifica* 643, 668, 671; *shimekiana* 624, 625
- Conidiobolus* 1089, 1092
- Coniochaeta pulverulacea* 848
- Coniophora* 1146
- Cookeina* 690; *sulcipes* f 692, f 693, 694; *tricholoma* f 692, f 693, 694
- Coprinaria* 848
- Coprinus* 1150, 1151; *congregatus* 327; *lagopus* 329, 912
- Corallomyces* 887, 892; *elegans* 892; *heinseni* 892
- Corallomycetella* 888, 892; *heinseni* 892
- Cordana pauciseptata* 850
- Cordycepioideus* 876, 892; *bisporus* 892
- Cordyceps* 867, 900, 901, 904, 905; subg *Epichloe* 905; *blattae* 905; *militaris* 904; *variabilis* 848
- Corethrospis hominis* 803
- Coriolus hirsutus* 849; *versicolor* 848, 849
- Coriscium* 12; *viride* 4, 17
- Corticium* 849; *echinosporum* 150; *furfuraceum* 849; *ochrofartum* 849; *scutellare* 849; *serum* 911; *sulphureum* 849
- Cortinari* 1152; *delibutus* 849; *scandens* 849
- Corynetes atropurpureus* 848
- Coscinaria* 902, 904; *langloisii* 904
- Cosmospora* 883; 892; *coccinea* 892
- Craterellus* 247, 849
- Creomelanops* 879, 892; *xanthocephala* 892
- Creonectria* 867, 888, 892; *purpurea* 892
- Creopus* 867, 877, 891, 892; *gelatinosus* 892
- Crepidotus* 846, 1152; *applanatus* var *applanatus* 849; *crocophyllus* 849
- Cribraria microcarpa* 846
- Cristella farinacea* 849
- Cronartium*, 1001; *coleosporioides* 1002; *flaccidum* 1002; *ribicola* 1209
- Cryptococcus* 511, 512; *albidus* 510, 544, 546; *laurentii* 544, 545
- Cryptodiscus lichenicola* 897
- Cryptoleptosphaeria* 880, 892; *moravica* 892
- Cryptonecetriella* 880, 892; *biparasitica* 892
- Cryptothecium* 885, 892; *javanicum* 892
- Ctenomyces pannorum* f 816; *serratus* 815
- Culicidospora gravida* 519, 520, 522, 525
- Cunninghamella echinulata* 724, 829; *elegans* 190
- Curvularia* 850
- Cyanocephalum* 882, 892; *murorum* 892
- Cyanoderma* 880, 885, 892; *viridulum* 892
- Cyathus striatus* 849
- Dacrymyces deliquescens* var *deliquescens* 849; *palmatius* 849
- Dacryopinax* 251
- Daedalea quercina* 849
- Daedaleopsis confragosa* 849
- Daldinia concentrica* 848, 1186; *vernica* 848

- Darlucula filum 850
 Dasyscyphus 683, 684, 689; ellisianus 848; nudipes var minor f 684, 685; **oblongus-ellipticus** 683-685, f 684; virgineus 848
 Debaryella 880, 892; hyalina 892
 Dendryphiopsis atra 850
 Dexteria 884, 892; pulchella 892
 Dialhypocrea 888, 892; puiggariana 892
 Dialonectria 883, 893; episphaeria 893
 Diaporthes 384, 870; eres 848; leiphaema var raveneliana 848
 Dictydium cancellatum 846
 Diderma cingulatum 1064; cor-rubrum 1064, f 1065, 1066; effusum 846; karstensii 1066; lyallii 1066; saturnus 1066; subincarnatum 1057; trevylani 1064
 Didymium sub Didymium 1063; difforme 1063; iridis 846; karstensii 1064; laxifila 1064; listeri 1063; ovoideum 846; quitense 1063; rugulosporum 1064; **saturnus** 1061, f 1062, 1063, 1064, f 1065; trachysporum 1061, 1964; vaccinum 1064
 Didymocrea 888, 893; sadasivanii 893
 Didymosphaeria sadasivanii 893
 Diheterospora catenulata 108, f 116, 118; chlamydospora 118
 Dimargaris bacillispora 751, f 757, 758, 759; verticillata 751, 756, f 757, 758, 759
 Dimerium hypoxylon 848
 Dioicomyces 748
 Dipodomyces 741
 Discochora rhodorae 381
 Discosphaerina 379
 Dispira cornuta 751, 752, f 754, 756, 758, 759; parvispora 758; simplex 751, 756, f 757, 760
 Ditiola radicata 845, 849
 Doratomyces 728, 737
 Dothichloe 867, 901, 904; aristidae 904
 Dothidea millepunctata 382; tumefaciens 898
 Dubitatio 880, 893; dubitationum 893
 Dusiella 902, 904, 905; tuberiformis 904
 Eccilia 437; cinericola 450, 451; nivea 446, 447; rosealbocitrina 451
 Echinodothis 902, 905; tuberiformis 905
 Eleutheromyces longisporus 893, 897
 Eleutherosphaera 882, 893; longispora 893
 Ellisodothis smilacis 848
 Empusa 36; aphidis 55; megasperma 36, 50; muscae 34; radicans 57; sphaerosperma 57
 Endogone 1205, 1208; incrassata 1204-1208, f 1206; lactiflua 1205, 1206, f 1206; pisiformis 1205, 1206, f 1206, 1207; tuberculosa 1207
 Endothia gyrosa 848; parasitica 848
 Endoxyla 384
 Enderthenema muscorum 657
 Entoloma 437; cuspidatum 849; murrillii 441; niveum 447; salmonium 849; strictius 849; subsericellum 441, 442
 Entomophthora 34, 36, 37; subg Lophorhiza 45; americana 41, 42, 45; aphidis 34, 36, 55, 56; atrosperme 34, 39, 40; bereshkovaeana 34, 39, 40; bullata 34, 38, 40, 41; calliphorae 34, 38, 40, 41, 42, 45; calopteni 34, 38, 40, 42, 43; carpentieri 45; cimbicis 34, 38, 40, 43; cleoni 34, 38, 40, 44; coleopterorum 34, 38, 40, 44, 45; cyrtoneurae 34, 38, 40, 42, 45; dissolvens 34, 38, 40, 45, 46, 53; exitialis 56; ferruginea 56; gammae 34, 39, 40, 46, 48; grylli 43; hylemyiae 34, 38, 40, 47; inexpectata 34, 38, 40, 47; jaapiana 34, 38, 40, 48; jaczewski 34, 39, 40, 48, 49; lauxaniae 34, 38, 40, 49, 53, 54; lavrovica 34, 38, 40, 49; megasperma 34, 36, 39, 40, 50, 51; muscivora 41, 42, 45; pallida 34, 38, 40, 51, 52; phytionomi 34, 38, 40, 52, 53, 57, 58; planchoniana 56; pooreana 34, 61; punctata 34, 39, 40, 52, 53; pustulata 34, 39, 40, 53; radicans 36, 57, 58; reticulata 34, 62; richteri 34, 38, 40, 49, 52, 53, 54, 59; sphaerosperma 34, 35, 57, 58; staritzii 34, 58, 59; tenthredinis 43; thaxteriana 56; tipulae 34, 39, 40, 54; zabrae 34, 40, 49, 55; zabrii 49
 Entyloma 405
 Epichloe 867, 901, 905; hypoxylon 904; typhina 867, 905
 Epicrea 881, 893; insignis 893
 Epidermophyton floccosum 366
 Epinectria 883, 893; meliolae 893
 Erispora 880, 893; parasitica 893
 Erysiphe cichoracearum 709, 711, 712; polygoni 709, 710, 711, 713
 Escherichia coli 576
 Eurotiopsis gayoni 738
 Eutrybliella 105; sabina 98, 102, 104
 Eutypa spinosa 848
 Exidia glandulosa 848, 849; nucleata 189, 849
 Feracia 893; balearica 893
 Filariomyces 741
 Flagellospora curvula 519-523
 Flammulina velutipes 308, 326, 327
 Fleischeria 902, 905; javanica 905
 Fomes annosus 1139, 1144, 1146, 1168; ignarius 604, 605, 607, 1139, 1146, 1167

- Fracchiaca callista* 848
Frommea obtusa 849, 850
Fulgia encastica 660
Fusarium 69, 804, 1029; *acremoniopsis* 60; *culmorum* 189, 190; *graminearum* 1053; *moniliforme* 82; *oxy-sporum* 428, 786, f 802, 804, 805, 806, f 813, 823; *poae* 804; *roseum* 428-436; f sp *cerealis* 429
Fusidium viride 724, 725
Galerina 597
Galiella rufa 848
Ganoderma 1146, 1161; *applanatum* 199, 1138-1144, f 1140, 1146, 1161, 1164, 1165, 1167
Gelasinospora calospora 762
Geniculospora inflata 519, 521-523
Geomyces 803; *vulgaris* 800
Geopyxis 1187; *cupularis* 1189; *gaillardiana* 1191
Gerronema 2, 3; *alexandri* 3, 11; *chrysophylla* 20; *postii* 10; *subchrysophyllum* 5
Gibbera 388; *buxi* 894
Gibberella 867, 883, 889, 893; *subg* *Lisiella* 894; *calamia* 897; *passiflorae* 894; *pulicaris* 893
Gibberellulina 887, 893; *abietis* 893
Glaziella 1208
Gliocladium 120, 725; *roseum* 724, 725; *virens* 108, f 116, 120
Gliomastix convoluta var *felina* 118; *murorum* 108, 118; var. *felina* 108, 118
Globulina 903, 905; *erisyphoides* 905
Gloeophyllum sepiarium 849
Gloeoporus dichrous 849
Glomerella 967; 976; *cingulata* 1042
Gnomonia 384
Gnomoniella bavarica 389
Gomphidius 831; *helveticus* 835
Gonatobotrys simplex 750, 1122-1124, 1128
Gonatobotryum fuscum 1122
Gonatorrhodiella highlei 750, 1122-1129, f 1124
Gongronella 114; *butleri* 108, f 113, 114; *urceolifera* 114
Gonytrichum macrocladium 108, f 117, 120
Graphium 108, 169, 728, 737, 739, 1123, 1126; *ulmi* 152
Guepinia 251
Guignardia 378, 379, 382; *bidwellii* 379; *diapensiae* 384; *freycinetiae* 895; *millepunctata* 382, 383; *rhodora* 381; *vaccinii* 379
Gymnopilus spectabilis 849
Gymnosporangium juniperi-virginianae 1174
Halonectria 879; 893; *milfordensis* 893
Hanseniaspora uvarum 510, 511, 513
Hansenula anomala 544-546; *californica* 511
Hansfordiella grisea 850
Hapalopilus nidulans 849
Haplosporangium 723-725
Heleococcum 882, 893; *aurantiacum* 893
Helicosporium 797; *vegetatum* 108
Heliscus lugdunensis 519, 521, 522, 523, 526, f 527, f 528
Helminthascus 901, 905; *arachnophthora* 905
Helminthosporium 1029; *triumfettae* 826
Helotium craginianum 848; **epiphyll-loides** 487, f 489, f 490; **filicinum** 486, f 489; *herbarum* 487; *humuli* 487; *phyllogenon* 489
Helvella 690, 698, 940-959; *albella* 941, 946, 947; *arctica* 953; *atra* 941, 945; *capucina* 947; *corium* 941, 952, 953; *costifera* 941, 953, 954; *crispa* 941, 942; *cupuliformis* 941, 950, 951, 952; *elastica* 696, f 697, 941, 947, 948; *ephippium* f 695, 696; *fusca* 941-944; *lacunosa* 941, 944, 945, 954; *leucomelaena* 942, 954-957; *macro-pus* 941, 949, 950, 952; *queletii* 941, 948, 949, 951; *solitaria* 942, 956, 957; *villosa* 941, 951, 952
Hemitrichia stipitata 846; *vesparium* 846
Hendersonia concentrica 382, 383
Heteroporus biennis var *flabelliformis* 849
Hirshioporus abietinus 849; *pergamenus* 848, 849
Hormodendron 725
Humaria rutilans 762
Hyalocrea 886, 893; *epimyces* 893
Hyalodendron 513
Hyalosphaera 885, 893; *miconiae* 893
Hydnoporia fuscescens 849
Hydnnectria 879, 886, 888, 893; *kriegeriana* 893
Hygrophoropsis aurantiaca 849
Hygrophorus 2-4, 849; *subg* *Hygrocybe* 3; *borealis* 30; *coccineus* 849; *deceptivus* 849; *flavescens* 849; *hudsonianus* 15, 17; *marginatus* 849; *recurvatus* 27; *wynnii* 25
Hymenochaete cinnamomea 849; *rubiginosa* 849
Hyphochytrium 492; *catenoides* 492-503, f 495, f 496
Hyphodontia arguta 849
Hypocnhus asperulus 256; *cervinus* 267, 270; *fuscoferruginosus* 259; *microsporus* 263, 265; *mucidulus* 149; *obscuratus* 138; *sparsus* 263, 264, 265

- Hypocrea 850, 867, 871, 875, 887, 891-893, 897; sect *Nectria* 895; subg *Battarrina* 890; subg *Berkelella* 890; subg *Clintoniella* 891; subg *Hypomyces* 894; apiculata 892; cubispora 891; discoidea 905; farinosa 897; gelatinosa 848; inclusa 890; rufa 893; stipata 890; sulphurea 848; tuberiformis 905
- Hypocrella 881, 902, 905; discoidea 905
- Hypocreopsis 902, 905; guaranitica 905
- Hypocreopsis 867, 870, 878, 894; pulchra 898; riccioidea 894
- Hypomyces 867, 871, 885, 886, 891, 892, 894, 896; subg *Peckiella* 896; armeniacus 848; aurantius 848; caldonicus 891; chrysospermus 890; lactifluorum 894; polyporus 848; solani 976; stilbiger 904
- Hyponectria 868, 870, 879, 893, 894; buxi 894
- Hypoxylon 306, 848, 851, 855, 1170-1186; atropunctatum 848; coccineum 1170, 1185; deustum 848, 855; discolor 855; fuscum 306, 1170, 1185; investiens 1172-1176, 1177, 1178, 1182, 1184; lycogaloides 897; militaris 904; multifforme 1186; multiformis 1171; pruinatum 1171; rubiginosum 1170, 1172, 1180-1183, 1185; punctulatum 222; rubiginosum 848; stygium 848; truncatum 848, 1172, 1179-1181, 1183, 1185
- Ijuhya 883, 894; vitrea 894
- Inocybe 925-939, 1149; 1166; abjecta 925, 926, f 927, 928; brunneolipes f 927, f 937, 928, 929; brunnescens f 933, 934, 935; calamistrata var calamistrata 930; var **mucidiolens** f 927, 929, 930, f 937; descissa f bisporigera 929; fastigiata 1148, 1149; fastigiella f 933, 935; fuscodisca f 927, 931, 932; geophylla 932; napines 932, f 933; **neobrunnescens** f 933, 934, 935; redicta 929; scabra f 933, 935, 936; subochracea 849, f 933, 936, 937; umbrinella 935
- Iodophanus 690; verrucosporus 690-691, f 691
- Isaria cretacea 165
- Kabatia 379
- Karschia lignyota 848
- Keratinomyces ajelloi 809
- Kernia 735, 736, 739; nitida 736
- Kernkampella** 837-839-843, 1112, 1120, 1121; **brevniae** 839; **brevniae-nantis** f 838, 839, f 840, f 841, 1112-1121, f 1114, f 1116, f 1119
- Kneiffiella 256
- Konradia 901, 905, 906; bambusina 905
- Laboulbenia 747; formicarum 743
- Labyrinthula 197
- Laccaria 849, 1152; amythestina 849; laccata 1154, 1156
- Lachnellula 683, 689; **himalayensis** 687-689, f 688; pseudofarinacea 689
- Lactarius 1146, 1152-1156, 1159; corrugis 849; deceptivus 1167; deliciosus 1153; griseus 849; insulsus 1159, 1162; mutabilis 849; piperatus 849; volemus 849
- Laestadia leptidea 385; millepunctata 383; rhodora 381
- Laeticorticium roseum 849
- Lamproderma 621-672; acanthosporum 623, 645-648, f 645, 649, 660, f 661, 668; arcyrrioides 623, 624, f 627, 632, 636-638, 667, 668, 671; var iridea 632; arcyrionema 623, 624-628, f 627, 631, f 665, 668, 671, 846; var japonicum 625; atrosporum 623, 624, f 635, 641, 642-645, 668, 671; var anglicum 642; var debile 642; var echinulatum 642; var macrospora 640; biaspersporum 623, 627, 629-631, f 629, 665, 668; brevipes 661, 662; caestiae 624, 638, 648, f 657, 665, 667, 668, 669-671; columbinum 624, f 659, 660-663, f 661, 668; var brevipes 661; var gracile 661; var iridescens 661; var subglobosum 661; cribrarioides 623, f 631, 640-642, 643, 668; cristatum 623, f 629, 639, 640, 649, 668; crucheti 660, 662; **disseminatum** 624, f 659, f 661, 663-666, 668, 671; echinosporum 624, f 647, 649, 651, 653, 654, 655, 668; echinulatum 624, f 659, 660, f 665, 663; fuscum 623, 631-632, f 631, 638, f 661, 668; griseum 621, 624, 651-653, 668; guilielmae 623, 649-651, f 651, 652, 653, f 665, 668; inconspicuum 624; iridescens 660; irideum 632; leucosporum 636; listeri 659; lycopodii 640; **maculatum** 624, f 645, 651, 654-657, 668, 669, 671; minutum 624; muscorum 624, 635, 636, 648, 657-659, f 657, f 665, 668; nigrescens 636; nigrisplendendum 662, 663; ovoideum 666; var cucumber 669; var piriforme 666; f globosum 666; rhysaroides 660; pulchellum 669; robustum 643, 666; saccardianum 636; sauteri 624, 638, f 651, 655, 657, 666-669, 671; var atro-griseum 666; var caestiae 669; var fallax 666; var piriformis 666; var pulchrum 666; var robustum 666; var turbinatum 666, 667; f gracile 666; schimperi 669; scintillans 623, 632-635, f 635, 652, 659, f 665, 668, 671; splendens 637; stas-

- zycii 660; subglobosum 662; subo-
 neum 624; tatricum 636; tubercu-
 losporum 623, 639, 640, f 647, 648,
 649, f 665, 668; verrucosum 621,
 623, 624, 635, 636, 659, 668; vio-
 laceum 636, 638; var carestiae 669,
 670; var debile 642; var sauteri
 666, 667
Lamprospora crec'hquercultii 234
Larseniella 882, 894; *globulisporea* 894
Lasionectria 883, 894; *mantuana* 894
Lasiosphaeria ovina 1185
Laxitextum crassum 849
Leccinum 324, 1157; *aurantiacum* 1157,
 1159, 1160
Lecythium 883, 894; *aerugineum* 894
Lemonniera aquatica 519, 520, 521, 522,
 523
Lentinus tigrinus 326
Lenzites saepiaria 189; *trabea* 1016
Leotia lubrica 848
Lepidoderma granuliferum 1064
Lepiota cristata 593
Leptomitis 353, 1213; *lacteus* 540
Leptonia 437, 450; *albida* 443; *albiellana*
 440, 443, 449; *sericella* 437; sub-
 acuta 442
Leptosphaeria 880
Leucocrea 878, 894; *nivea* 894
Leucogyrophana 252
Leucoscypha 1193
Licea 1057-1061; **applanata** 1058, f 1058,
 1059, 1060; *minima* 1060; *pusilla*
 var *pygmaea* 846
Lisea 882, 894; *buxi* 894
Lisiella 887, 894; *passiflorae* 894
Listerella 1060; *paradoxa* 1060
Loculistroma 878, 894; *bambusae* 894
Lophotrichus 735, 736; *ampullus* 736
Loramyces 870, 871
Lunulospora curvula 519, 521, 522, 523
Lycogala epidendrum 846

Macbridella 887, 894; *chaetostroma* 894
Macrosporium consortiale 1074
Magnusia 736
Malacaria 886, 894; *melilicola* 894
Malmeomyces 884, 895; *pulchella* 895
Mammaria 734
Marasmiellus pigmentatus 29; sub-
chrysophyllus 5
Marasmius 3, 27, 849; *androsaceus* 849;
iocephalus 849; *nigripes* 849; *resi-*
nosus 29; *salignus* 30; *siccus* 849
Martinia 608; *panamaensis* 608
Martinia 608; **panamaensis** 608
Massospora 37, 44, 49, 54; *cleoni* 44;
richteri 49, 53, 54; *staritzii* 58, 59,
 60; *tipulae* 54
Mattirolia 878, 895; *nivea* 894; *roseo-*
virens 895

Megalonectria 889, 895; *pseudotrichia*
 895
Melampsora lini 609-614, f 610, f 613
Melanomma pulvis-pyrius 1185
Melanosporea 868, 870; *lagenaria* 848
Melanotaenium 402; *nolinae* 1095; **oxa-**
lidis 402-405, f 403, f 404
Meliola 883, 884, 886
Melioliphila 884, 886, 895; *graminicola*
 895
Merulius 238-255, 849; sect *Coniophori*
 238; *aureus* 849; *brassicaefolius* 239,
 240; *confluens* 242, f 244, 252, 253;
corium 242, 247, 252, 253; *cupressi*
 242; *incarnatus* 243, f 244, 245, 251;
irpicinus f 244, 245, 246; *lacrimans*
 var *terrestris* f 244, 246; *molluscus*
 252; *odoratus* 247; *pallens* 242,
 f 244, 247, 248; *papyraceus* 240;
pruni 248, f 249, 250; *pulverulentus*
 240; *roseus* 250; *rubellus* 250, 251;
rufus 239, 248, 250; *spathularia* 251;
strigosozonata 251; *subaurantiacus*
 f 249, 251; *sulcatus* 252; *tenuis* 246,
 f 249, 252; *terrestris* 246; *tremello-*
sus 238, 243, 245, 252; *fincarnatus*
 245; *ulmi* f 244, 253
Metanectria 888, 895; *citrum* 895
Metarrhizium anisopliae 108
Metschnikowia 462-473; *bicuspidata*
 f 465, 466, 469; var *bicuspidata* 468,
 469, 471; var *chathamia* 468, 469,
 470; *kamienskii* 467, 468; *krissii*
 467, 468; *pulcherrima* 464, f 465,
 466, 468, 469, 470, 471; *reukaufii*
 464, f 465, 466, 467, 468, 469, 470;
zobellii 467, 468
Microascaceae 734, 735
Microascus 727, 728, 730, 733, 735, 736,
 737, 739; **giganteus** 731-734, f 732;
longirostris 733, 736, 737; *nidicola*
 731; *schumacheri* 731; *stysanopho-*
rus 728, 730, 731
Micronectria 895; *guaranitica* 895;
pterocarpi 895
Micronectriella 880, 895; *pterocarpi* 895
Micronectriopsis 881, 895; *freycinetiae*
 895
Microsphaera alni 709, 710, 711, 713;
 var *vaccinii* 848
Microsporium 96, 856, 859, 1070; *ama-*
zonicum 859; *boullardii* 859; *canis*
 366; *fulvum* 89; *gypseum* 89, 356,
 856, 859, 1070; *oraecox* 859; *race-*
mosum 856-859, f 857; *vanbreu-*
seghemii 89
Microstelium 903, 905; *hvalinum* 905
Mindenella 352, 353, 1213; *spinospora*
 1212
Miyakeomyces 884, 895; *bambusae* 895

- Moelleria sulphurea 905
 Moelleriella 902, 905; sulphurea 905
 Mollisia 848; subg Peristomialis 897
 Monascus 738; purpureus 1018-1031
 Monilia 542, 808; antipiriculariae 601
 Monoblepharella 551, 554
 Monodictys 171, 175
 Monosporium apiospermum 739
 Mortierella 723-825, 829; alpina 724;
 isabellina 723, 724; ramanniana 216,
 724; vinacea 724
 Mucor 725, 984; fragilis 724; plumbeus
 1089; ramannianus 725
 Mycaureola 879, 895; dilseae 895
 Mycena 2, 3, 9, 27, 28, 30, 1149, 1166;
 sect Adonidae 3; sect Deminutivae
 subsect Aciculae 9; subsect Acicu-
 lae 3; albidula 27; austini 27; cris-
 pula 27; delectabilis 28; fibula 3,
 11, 27; hiemalis 27; latifolia 27;
 leariana 849; lilacifolia 28; margi-
 nella 27; var rugosodisca 29; mc-
 murphyi 28; misera 29; papillata
 28; pseudogrisea 29; pusillissima
 29; rudilanthiformis 1149, 1150;
 semivestipes 27, 29; serotina 29;
 subimmaculata 29; subvestita 30;
 swartzii 3; translucetipes 30; tur-
 binata 30
 Mycoacia 676, 677; pinicola 676, ste-
 nodon 676, 677; uda 676
 Mycocalcium polyporaenum 848
 Mycocytrus 878, 895, 898; aurantium
 895
Mycoenterolobium 171; platysporum
 171, 172, f 173, f 174, 175
 Mycogone perniciosa 826
 Mycomalus 903, 905; bambusinus 905
 Mycorhynchus 882, 884, 895; marchalii
 895
 Mycosphaerella colorata 848; **mille-**
punctata f 380, 382, 383; oxycocci
 379, 381; polypodii 848
 Myrmaeciella 878, 895; endoleucum 895
 Myrmaecium endoleucum 895
 Myrophagus 62; ucrainicus 34, 62

 Naematoloma 849
 Nannizzia 89-97, 856, 859; fulva 89, f 92,
 94; grubyia 89, f 91, f 92; gypsea
 89, f 90, 91, f 91, f 92, 94; incurvata
 89, f 91, f 92, 94, f 95; **racemosa**
858, 859, f 857
 Nectria 867, 868, 871, 882, 883, 886-888,
 890-896, 898; subg Aponectria 890;
 subg Dialonectria 893; subg Hy-
 phonectria 893; subg Lasionectria
 894; chaetostroma 894; cinnaba-
 rina 868, 895; coccinea 1122-
 1128; haematococca 429; inaurata
 890; lutescens 899; mantuana 894;
 oropensis 891; peziza 848; rousse-
 liana 897; trichospora 896
 Nectriella 867, 880, 892, 895, 897; sect
 Cryptonectriella 892; fuckelii 895
 Nectriopsis 886, 893, 896; violacea 896
 Neocosmospora 867, 881, 896; vasin-
 fecta 108, f 113, 115, 896, 1053
 Neohenningsia 883, 888, 896; stellatula
 896
 Neonectria 883, 896; ramulariae 896
 Neorehmia 882, 891, 894, 896; cerato-
 phora 896
 Neuronectria 867, 883, 896; peziza 896
 Neurospora 305, 366, 370, 967, 976;
 crassa 94, 575, 762, 1042; sitophila
 1008; tetrasperma 788, 1008
 Neoskofitsia 882, 896; pallida 896
 Neotiella rutilans 762, 769, 772, 777,
 779, 1193
 Niesslia barbicincta 388
 Nigrospora sphaerica 850
 Nocardia 600; acidophilus 599-603, f 602
 Nothopodospora 1006

 Odontia 849; bicolor 600, 601, f 602;
 ciliolata 849; crustosa 849; lateritia
 243, 849
 Oidium ochraceum 850
 Oligonema flavidum 846; schweinitzii
 846
 Olpidopsis 62; ucrainicus 62
 Olpidium 497, 554, 556; brassicae 566;
 nematodae 61
 Omphalia 1, 3, 26; abiegna 25; albidula
 27; apiculata 27; aurantiaca 25, 30;
 bakeri 27; bibula 25; californica 30;
 californiensis 27; campanella sparsa
 30; chrysea 20; chrysophylla 20;
 var chrysea 20; clavata 27; corti-
 cola 27; curvipes 27; cuticolor 27;
 eximia 30; fibuloides 10; flava 11,
 12; hohensis 27; isabellina 28; jala-
 pensis 28; luteicolor 23, 25; luteola
 14; luteolilacina 15; luteovitellina
 11; mcmurphyi 28; myceniformis
 28; nitrosa 28; niveicolor 30; occi-
 dentalis 8; olivaria 7; orickiana 28;
 papillata 28; parvibulbosa 28; pig-
 mentata 29; postii 10; pseudoandro-
 caeus 14; pseudogrisea 29; pubes-
 centipes 29; pusillissima 29; pyxi-
 data var furcata 29; semivestipes 29;
 serotina 29; sphagnophila 9; stripi-
 lea var albogrisea 30; subchryso-
 phylla 5; subclavata 5; subgrisea
 29; subimmaculata 29; subscypho-
 ides 30; tralucida 31; translucen-
 tipes 30; tubaeformis 30; turbinata
 30; umbellifera 13; f ochroleuca 15;
 var alpina 18, 31; vestita 30; vol-
 kertii 30; wynniae 25

- Omphalina* 1-32; subg *Omphaliopsis* 2; sect *Fibulatae* 2; *abiigna* 25; *alachuana* 30; *allenii* 7; *australis* 27; *bibula* 25; *bicolor* 30; *brunnescens* 30; *chrysophylla* 2, 20, 22; var *chrysophylla* 4, f 19, 20, 21, 22, 23; var ***salmonispora*** 5, 22; *collybitiformis* 30; *dawsonii* 27; *ericetorum* 2, 4, 5, 8, 10, 12, 13, f 13, 15, 17, 26; *floridana* 30; *fumosa* 30; *grossula* 26; ***hoffmanii*** 4, 18, f 19, 20, 22; ***hudsoniana*** 2, 3, 10, 12, 15, f 16, 17, 18; *hyprobrunnea* 27; *luteicolor* 2, 5, 23, f 24, 25; *luteolilacina* 15, 17, 18; *luteovitellina* 2, 4, 11, 12, 13, 17; *melles* 30; ***occidentalis*** 3, 4, 8, 9; *olivaria* 2, 4, 7, 8; *oreades* 28; *pervirginea* 30; *postii* 3, 4, f 6, 10, 11; *praerimosa* 30; *sequoriorum* 29; ***sphagnophila*** 3, 4, 9, 10; *subcartilaginea* 29; *subchrysophylla* 5; *subclavata* 4, 5, f 6, 7, 8; *subfloridana* 31; *subfulviceps* 31; *subumbratilis* 31; *tepeitensis* 30; *umbellifera* 9, 10, 14; var *abiigna* 15; var *flava* 15; *wynniae* 2, 5, 7, f 24, 25, 26
- Omphaliopsis fibuloides* 10; *olivaria* 7
Oomyces 902, 904, 905; *carneoalbus* 905
Ophiocordyceps 901, 905; *blattae* 905
Ophiodothis gaduae 904
Ophionectria 885, 896; *cerea* 797; *coccicola* 905; *scolecospora* 898; *trichospora* 896
Orbilbia xanthostigma 848
Orcadia 880, 896; *ascophylli* 896
Otidea 1187
Oudemansiella 1152; *radicata* var *purpureus* 849
Oxyporus nobilissimus 199
- Paeclomyces* 111, 118, 822; ***clavisporis*** 107-109-122, 108, f 110; *inflatus* 111; *paranense* f 810, 822; *persicinus* 111; *variabilis* 108, 118; *varioti* 111, 724, 850; var *brunneolus* 112
- Palaeancistrus*** 579; ***martinii*** 579-584, f 580
Panaeolus 152, 1155, 1157, 1167
Panellus stypticus 849
Panus tigrinus 579, 581, f 582
Paradiacheopsis arcyonema 625
Paradidymella 384
Paranectria 884, 896; *affinis* 896
Parodiellina 869
Parodiopsis 869
Passerinula 880, 896; *candida* 896
Patellonectria 878, 896; *puiggarii* 896
Paxina arctica 953; *leucomelas* 955
Peckiella 871, 885, 896; *viridis* 896
Pellicularia koleroga 474-485, f 481, f 483; *pruinata* 849; *subcoronata* 849; *vaga* 849
Peloronectria 878, 879, 896; *vinosa* 896
Peloronectriella 877, 896; *sasae* 896
Penicillium 67-74, 75-88, 111, 120, 723-725, 1106-1111; *brefeldianum* 532, 538, 539; *brevi-compactum* 69-73, 75, 76, 78-86, 1042; *charlesii* 70, 73; *chrysogenum* 68-71, 73, 76, 78-82, 86; *citrinum* 69, 70, 72, 73, 76, 78-81, 85, 86; *claviforme* 1111; *communis* 70; *cyclospium* 68, 69-73, 75, 76, 78-86, 725; *decumbens* 723, 724; *digitatum* 69, 73; *diversum* var *aureum* 851; *expansum* 69-71, 73, 76, 78-84, 86, 94, 725, 1123; *frequentans* 67, 69-71, 73, 78-82; *funiculosum* 723, 724; *granulatum* 71, 73; *implicatum* 70, 73; *isariiforme* 1111; *janthinellum* 70, 73; *luteum* 71, 73; *megasporum* 190; *multicolor* 67, 70, 73; *nigricans* 723, 724; *oxalicum* 67-73, 75, 78-82, 84-87; *palitans* 68, 70, 71, 73, 76, 78-82, 86; ***pseudostromaticum*** 1106, f 1107, f 1108, 1109-1111; *puberulum* 69-71, 73, 78-82; *purpureogenum* 69, 70, 73, 78-82, 86; *raistrickii* 724; *rugulosum* 68, 86, 87; *steckii* 70, 73; *urticae* 70-73, 78-82; *variabile* 68-70, 73, 78-82, 86; *viridicatum* 67-73, 75, 78-80, 82-86
Peniophora affinis 849; *aspera* 849; *burttii* 849; *byssoides* 849; *carnosa* 849; *cremea* 849
Penzigia 851; *discolor* 855; *frustulosa* 851-855, f 852, f 854
Pericoccis 878, 896; *leptogicola* 896
Peridermium 996-1002; *filamentosum* 996, f 998, 1002; *harknessii* 1001, 1002; *pini* 1000, 1001, 1002; *stalactiforme* 996, 997, 999, f 1000, 1002
Perisporiopsis 869
Peristomialis 884, 897; *berkeleyi* 897
Peronospora tabacina 1067
Pestalotia 724; *raistrickii* 725
Petriella 727, 728, 730, 731, 733, 735, 737, 739; *asymmetrica* 737; var *cypria* 731; *boulangieri* 821; *guttulata* 731; ***musispora*** 728-731, f 729; *setifera* 731
Petriellidium 735, 738, 739; ***boydii*** 738
Peziza 690; *cupularis* 1187, 1188, 1189; *lividula* 691-693, f 691; *ostracoderma* 234, 235; *patavina* f 1191, 1193; *peristomialis* 897; *rutilans* 762; *succosa* 234, 235; *vesiculosa* 761
Phacophlebia 251

- Phanerochaete velutina f coccineofulva 241
 Phellinus gilvus 849; viticola 849
 Phialophora 224; blakesleeana 224
 Phlebia 238-255; acerina 239; cinnabarina 240, 241; coccineofulva 241; hydnoidea 242, 243; pileata 248, f 249; radiata 238, 239, 241, 243, 251; var cinnabarina 241
 Phlyctochytrium 1032, f 1034, 1038; africanum 1039; biporosum f 1034, 1036; irregulare 1036; palustre 1039; punctatum 1036
 Phlyctorrhiza variabilis 568, 576
 Pholiota 849; granularis 849; squarrosadiposa 604, 605, 607
 Phoma 395; lingam 984
 Phomatospora 377, 384; alpina 393; **clarae-bonae** 378, f 380, **384**, 386; crepiniana 393; **gelatinospora** 378, f 380, **385**, 386
 Phymomyces 1029; blakesleeana 215
 Phyllachora 296-300, 385, 386; **aravalliense** 296-300, f 297, f 298; bersameae 385; clarae-bonae 385; cynodontis 299; graminis 299; kalmiae 377; koondrookensis 299; millerpunctata 383; orbiculata 300; oxy-spora 300; shirana 300
 Phyllactinia corylea 709, 712, 761, 772, 777, 779
 Phylloporus rhodoxanthus 850
 Phyllosticta 395; maxima 381; rhododendri 381; saccardoi 381
 Phyllostictina 395; maxima 381; **plumbaginis** 395-397, f 396, f 397; vaccinii 379
 Physalospora 377, 386; subg **Acanthorhynchus** 386; subg Physalospora 386; alpestris 386; alpina 392; clarae-bonae 384; crepiniana 392; **dearnesii** 378, f 387, **389**, 390; diapiensiae 384; empetri 378, 384, f 387, 392, 393; entaxia 377; euclypti 386; grandicola 714; hyperborea 378, f 387, 392; kalmiae 378, f 387, 391; leptidea 385; obtusa 714; rhodina 714; rhododendri 382, 390; var **albimontana** 378, f 387, **390**; var rhododendri 391; vaccinii 378, 386, f 387, 388, 389; viscosa 377; vitis-idaea 378, f 387, 389; xanthocephala 892
 Physarina echinospora 1064
 Physarum bivalve 846; columbinum 622, 660; galbeum 848; globuliferum 846; iridescens 660; polycycephalum 575
 Physosporella clarae-bonae 384
 Phytophthora 107, 371, 428, 537, 538, 551, 967-977, 1041-1056; arecae 1042, 1048; cactorum 975, 1042, 1047, 1048, 1051, f 1052, 1053, 1055; capsici 967, 968, 974; cinnamomi 197, 397-402, f 399, 984, 1042, 1049, 1054; citricola 975, 1042, 1043, 1047, 1050, 1053; citrophthora 975; cryptogea 975; drechsleri 967-977; erythroseptica 975, 1043, 1050; faberi 974; heveae 975, 1042-1047, 1051, 1053-1055; infestans 423, 425, 426, 975, 1055; megasperma 197, 975; palmivora 421-427, f 422, f 424; parasitica 974, 975, 984; var nicotianae 195-198; phaseoli 975
 Pichia 511; burtonii 544-546; farinosa 544, 545; fermentans 544, 545; membranaefaciens 510, 513
 Pilobolus 1089, 1092; kleinii 1042, 1089
 Piptocephalis dryophilus f 717, f 718; virginiana 715
 Piricularia oryzae 1042
 Plasmodiophora brassicae 984
 Plasmopara viticola 1067
 Plectosphaera 385; clarae-bonae 384; yakusimensis 391
 Plectosphaerella 883, 897; cucumeris 897
 Pleogibberella 885, 897; calamia 897
 Pleonectria 890
 Pleurocolla compressa 851
 Pleuropus adnatifolius 445; cinereicolor 447, 448; earlei 441; lignicola 441, 442
 Pleurosordaria 1005, 1006
 Pleurothecium recurvatum 851
 Pleurotus 850
 Pluteus 850; cervinus 850; longistriatus 850
 Podocrella 901, 905; poronoides 905
 Podonectria 902, 904, 905; coccicola 905
 Podosphaera oxyacanthae 709, 711, 712
 Podospora 1003-1007; anserina 763, 788; brassicae 1005; californica 1006; **clavispora** 1003, f 1004, f 1005; zygospora 1005
 Podostroma 877, 897; leucopus 897
 Polyactis olivacea 823
 Polyporus 1166; berkeleyi 198-200, 703; betulinus 1106, 1108; biennis 703; brumalis 327; dryophilus 714-720; var vulpinus 714-720; glomeratus 604-606; gratianus 703, 849; immitis 850; montanus 703; pocula 845; propinquus 700, 702; sulphureus 199; tulpiferae 850
 Polystictus versicolor 912
 Polystigma 386, 868, 870
 Poria 850, 1161; ambigua 1167; eupora 850; glomeratus 607; lenis 850; luteoalba 850; obliqua 604, 605, 607; oleracea 850; overholtsii 850;

- pannocincta 850; radiculosa 850;
 reticulata 850; rhodella 850; sangui-
 nolenta 850; subacida 850; tarda
 850; tenuis var pulchella 850; viti-
 cola 849; xantha 850
 Porodiscus pendulus 845, 850
 Poronia 855
 Porphyrosoma 878, 897; episphaeria 897
 Pronectria 880, 897; lichenicola 897
 Propolis versicolor 848
 Protocrea 885, 897; farinosa 897
 Pseudobotrytis bisbyi 119; terrestris
 108, f 117, 119
 Pseudonectria 881, 897; rousseliana 897
 Pseudonectriella 887, 897; ahmadii 897
 Pseudoperonospora humuli 1067-1069,
 f 1068
 Pseudostemphylium consortiale 1074
 Pseudotomentella 256; flavovirens 150;
 mucidula 149, 150; umbrina 148, 150
 Psilocybe 176-191, f 178, f 180, f 181,
 f 183, f 184, f 185, f 186, f 187, f 188,
 1146, 1149, 1150, 1166
 Puccinia graminis tritici 609; wind-
 soriae 850
 Pulvinula 690, f 691, f 693
 Punctularia 251; strigosozonata 248
 Pustularia 1187, 1193; cupularis 764,
 786, 787, 788, 1189; gaillardiana
 1191; patavina 1193
 Pustulina 1187-1194; cupularis f 1188,
 1189, f 1191, f 1192, 1192; **gaillardi-**
ana 1189, 1191, f 1191, 1192, 1193
 Puttemansia 889, 897; lanosa 897
 Pycnoporus cinnabarinus 850
 Pyrenochaeta 108
 Pyronema confluens 762; omphalodes
 762
 Pythium 194, 1212; butleri 531; debary-
 anum 539; ultimum 1212
 Pyxidiophora 871, 885, 897; nyctalidis
 897
 Ravenelia 837, 838, 841, 842, 1112, 1120,
 1121; breyniae 837, 838, 839, 1112;
 breyniae-patentis 838, 839, 1112;
 cassiaeicola 837, 1121; epiphylla 837,
 841, 842; expansa 837; glandulosa
 837, 841; hobsoni 837, 1112-1121,
 f 1117, f 1118, f 1119; lysilomae 837;
 ornata 837; sessilis 1121; stictica
 1121
 Resinicium 676; bicolor 676; **chirica-**
huaensis f 674, 675-677; furfuraceum
 676
 Resupinatus applicatus 850; silvanus 850
 Rhinocladiella 117, 513
 Rhipidium 352, 353, 1213
 Rhizidiomyces 551, 554
 Rhizophydium 1032, f 1034, f 1038;
 couchii 1038; globosum 1038; polli-
 nis-pini 1036; sphaerotheca 1036;
 subangulosum 1038; subglobosum
 f 1035, 1037, 1038
 Rhizopus 1029; nigricans 190, 1029;
 sexualis 190; stolonifer 190, 829
 Rhodophyllus albinellus 449; kervernii
 450; molliusculus 442; olorius 450;
 omphaliniformis 450; pallens 442;
 sericellus 450
 Rhodosporidium 272, 280, 281; **sphaero-**
carpum 276, f 277, f 279, 280; toru-
 loides 272, 273, 276, f 277, 280
 Rhodotorula 272-281, 512; glutinis 272,
 273, 510, 544, 545, 546; rubra 221,
 510, 511
 Rhopalomyces 826-830; elegans 826,
 829; var apiculatus 829; var cras-
 sus 829; var elegans 829
 Rhynchomyces marchalii 895
 Rhynchonectria 882, 893, 897; longi-
 spora 897
 Rhytidhysterium 105
 Romanoa 903, 905; terricola 905
 Rosellinia 848; corticium 848; limonii-
 spora 306; subiculata 848
 Russula crustosa 850; fragilis 850;
 ochroleucoides 850
 Rutstroemia macrospora 848
 Sabouraudites duboisii 1070
 Saccharomyces 510, 511, 513; carls-
 bergensis 763, 787; cerevisiae 471,
 483, 763, 764, 782, 787; microellip-
 sodes 544, 545
Saprochaetaceae 794
Saprochaete 791, 794; **saccharophila**
 791-794-796, f 793
 Sapromyces 352, 353, 1212, 1213; an-
 drogynus 1212; elongatus 531-541,
 f 535, 1212
 Sarawakus 867, 877, 897; lycogaloides
 897
 Sarcoseypha floccosa 848
 Schizoparme 879, 897; straminea 897
 Schizophyllum 1010, 1166; commune
 189, 326, 327, 328, 471, 850, 921,
 922, 1008-1017
 Schizopora paradoxa 850
 Sclerospora 1067
 Sclerotinia sclerotiorum 332-338
 Sclerotium cepivorum 1195-1203; rolfsii
 337
 Scoleconectria 889, 898; scolecospora
 898
 Scopulariopsis 723, 724, 728, 730, 733,
 736, 737; brevicaulis 1053
 Scutellinia 236
 Scutiger persicinus 845, 850
 Scytalidium lignicola 108, f 117, 119, 120
 Selenophoma 379
 Selinia 870, 877, 898; pulchra 898
 Seliella 870
 Septoria 371, 987; rubi 851

- Sepultaria 955
 Serpula 238; himantoides 240, 252, 253;
 lacrimans 238, 240, 246, 247; mol-
 lusca 252; pinastri 240, 246
 Shiraia 879, 898; bambusicola 898
 Shiraia 878, 898; phyllostachydis 898
 Simocybe centunculus 850
 Sispira parvispora 751
 Smearingomyces 748
 Sordaria brevicollis 453-461, f 455, f 458,
 f 460; fimicola 406, 1183, 1184
 Sorosporella 59; agrotidis 59, 60; uvella
 34, 59, 60
 Sorosporium cenchri 1095; confusum
 1096; consanguineum 1096; con-
 tortum 1096; mixtum 1096; ova-
 rium 1097
 Sowerbyella 1187
 Sparassis radicata 850
 Sphacelotheca andropogonis 1097; an-
 dropogonis-hirtifolii 1097; cordo-
 bensis 1097; diplospora 1097; moni-
 lifera 1097; montaniensis 1098;
 nealii 1098; pamparum 1098; reili-
 ana 1098; sorghi 1098; **tepicensis**
 1098, f 1099
 Sphaerella andromedae 379, 380, 381;
 rhodora 381, 382
 Sphaeria affinis 896; aurantia 891; buxi
 894; carnealbus 905; cinnamata
 388; cinnabarina 895; citrum 895;
 episphaeria 893; gelatinosa 891, 892;
 helvellae 898; lactifluorum 894; pe-
 ziza 896; pseudotrachia 895; puli-
 caris 893; purpurea 904; rhodomela
 891; riccioidea 894; rufa 893;
 typhina 905; violacea 896; viridis
 896
 Sphaerobasidium minutum 677
 Sphaerobolus 326, 1092; stellatus 850
 Sphaeronaemella 881, 898; helvellae 898
 Sphaerostilbe 867, 888, 898; subg
 Sphaerostilbella 898; aurantiaca
 898; longiasca 891; lutea 898
 Sphaerostilbella 887, 898; lutea 898
 Sphaerotheca fuliginea 709, 711, 712;
 humuli 707, 709, 710, 712; lanestris
 709, 711, 712
 Spogipellis galactinus 850
 Sporobolomyces 546, 1166
 Sporothrix 737, 797, 808; **foliorum**
 f 805, 809, f 813, 823; schenckii 808
 Sporotrichum 797-825; aureum 797, 800,
 821; badium 797; beurmanni 804;
 bombycinum 800, 803, f 813; carnis
 803; carthusio-viride f 799, 801,
 f 813, 823; cepii f 799, 801, 802,
 803, 812, 823; cerebriforme f 802,
 803, 804, f 813, 823; epigaeum 820;
 var terrestre 820; exile f 802, 806,
 f 813; flavissimum 803; foliorum
 f 805, 806, 808, f 813, 823; fulvum
 797; keratinolyticum 809, f 813, 824;
 lipsiense 803, f 805, 811, 814, 823;
 olivaceum 814, f 816, 823; paranense
 f 810; parvulum f 799, 815, f 816,
 823; pulviniforme f 807, f 816, 817,
 824; roseolum f 807, 817, 818, 823;
 roseum 797, f 810, f 816, 818, 823;
 sanguineum 819, 824; schenckii 797,
 804, 808, 812, 814; sulfurescens
 f 810, f 816, 820, 823; vellereum 821,
 824; var flavum 821; var griseum
 821; vile f 811; virescens 797
 Stalagmites 887, 898; tumefaciens 898
 Steccherinum laeticolor 850; ochraceum
 850
 Stemonitis arcyrroides 636; carestiae
 669; cribrarioides 640; echinulata
 659; physaroides 660; scintillans
 632; trechispora 848; violacea 636;
 virginiensis 848
 Stemphylium 1071, 1073, 1074; botryo-
 sum 1075; consortiale 1074; flori-
 danum 1071-1076, f 1075; globulife-
 rum 851; solani 429
 Stereocrea 878, 898; schizostachyi 898
 Stereum 848, 849; albobadium 850;
 gausapatum 850; ostrea 850; stria-
 tum 850; subpileatum 850
 Stigmata millepunctata 383
 Stigmatomyces 747
 Stilbella 679
 Stilbocrea 877, 898; dussii 898
 Stilbonectria 884, 889, 898; lateritia 898
 Stilbum aurantiacum 898
 Streptomyces 804; 533, 538, 539, 967;
 cerebriforme 806; globisporus 533,
 538; scabies 984
 Subciliocola 886, 898; ambigua 898
 Suillus 326, 591, 595, 850, 1157; ama-
 bilis 590, f 582, 595; lakei 595, 596;
 sphaerosporus 1158, 1161, 1167
 Syncephalis 751
 Tarichium 33-66; aphidis 36, 55; auxi-
 liare 34, 60, 61; cimbicis 43; cleoni
 44; dissolvens 45; gammae 46; hy-
 lemyiae 47; inexpectatum 47; lav-
 rovium 50; megaspermum 33, 35,
 50; pallidum 52; phytognomi 52, 57;
 pustulatum 53; richteri 53, 54;
 sphaerospermum 36, 50, 57; uvella
 34, 59, 60; zabrae 48, 55
 Tarychium auxiliarium 60, 61
 Tetrachaetum elegans 519, 521, 522, 523
 Tetradium marchalianum 519-523,
 525; maxilliformis 519, 520, 522,
 525; setigerum 519, 521, 522, 523
 Thamnidium elegans 715, 829
 Thecaphora 1100; **pulcherrima** 1099,
 f 1099

- Thelephora cinnabarina* 241; *palmata* 850; *punicea* 139; *umbrina* 148; *zygodesmoides* 146, 150
Thelocarpon 879, 881, 882, 898; *albidum* 898
Thielavia basicola 965; *koningi* f 816; *sepedonium* 815; *terricola* var *minor* 108
Thielaviopsis 960, 965; *basicola* 960-966, f 963; *ethaceticus* 965; *paradoxa* 960, 961, 965
Thuemenella 876, 898; *javanica* 898
Thyronectria 867, 878, 889, 890, 895, 898, 899; *chrysogramma* 899; *pata-vina* 898
Thyronectroidea 890, 899; *chryso-gramma* 899
Tieghemiomyces parasiticus 751, 752-756, f 754, 758, 759
Tilletia 1101; *aegopogonis* f 1099, 1100, 1101; *barclayana* 1101; *controversa* 60; *durangensis* f 1099, 1101; *eragrostidis* 1101
Tilmadoche berkeleyi 636
Tolyosporella brunkii 1102
Tomentella 133-151, 256-271, 678; **albo-marginata** 134, f 135, 136, 143; *asperula* 256, 257, f 258; *avellanea* 146; *badiofusca* 149, 150; *bresadolae* 143; **brevispina** 136, f 137, 138; *bourdotii* f *macrospora* 261; *bresadolae* 257; *cervina* 144, 267, 270; *echinospora* 150; *flavovirens* 150; *fuscella* **castanea* 138, 264, 265; *fuscoferuginosa* 259, f 260; *gibbosa* 256, 257; *granulosa* f *liasicola* 138; *griseoviolacea* 256, 259, 261, f 262, 263; *liasicola* 138, 139, 150; *lurida* 139; *luteomarginata* 263, 264, 265; *mairei* 261, 263; *microspora* 256, 263, 264, 265, f 266; *molybdaea* 139, f 140, 141, 150, 265, 267, f 268; *neobourdotii* 261, 263; *pallidofulva* 138, 259; *papillata* 267, f 269, 270; *porulosa* 141, f 142, 143, 144, 150; f *luricolor* 143, 144, 150; *albomarginata* 134, 150; *puberula* 144, f 145, 150; *punicea* 139, 150; *ruttneri* 257; *sparsa* 263; *spinifera* 138; *spongiosa* 138; var *brevispina* 136, 138, 150; var *murina* 138; *sub-lilacina* 264; *tabacina fulvorubella* 144, 150; *testaceogilva* 146, f 147, 150; *tristis* var *lapidicola* 148, 150; *umbrinella* 144, 148, 149, 150; *verrucispora* 149, 150; *viridiflava* 149, 150; *zygodesmoides* 146
Tomentellastrum 141; *molybdacum* 265
Torrubiella 903, 906; *aranicida* 906
Torula 542
Torulopsis glabrata 512; *ingeniosa* 513
Trailia 881, 899; *ascophylli* 899
Trametes malicola 850
Trechispora 678; *brinkmannii* 850; **pallidoaurantiaca** f 674, 677, 678; *vaga* 850
Treleasia 882, 899; *sacchari* 899
Tremella mesenterica 850; *purpurea* 892
Treubimyces 887, 899; *pulcherrimus* 899
Trichia columbina 660; *favoginea* 848; *physaroides* 660
Trichoderma 120, 222, 723, 724, 725, 814, 817, 984; *koningi* 814; **saturni-sporum** 107-112-122, 108, f 113; *sporulosum* f 807, 817, 824; *viride* 114, 195, 510
Trichonectria 884, 899; *aculeata* 899
Trichophaea 236
Trichophyton 96, 222, 809, 856, 1029; *ajelloi* 90, 809, f 813, 824; *mentagrophytes* 89, 366; *simii* 89; *tonsurans* 366; *vanbreuseghemii* 90, 96
Trichosporon 510, 511, 513, 514, 819; *capitatum* 510; *penicillatum* 510
Tricladium 526, 529; *angulatum* 519-523
Trisclerophorus monosporus 519, 520, 522, 523
Tritirachium 1123, 1126, 1128
Tryblidiella clavispora 98-106, f 99, f 101, f 103; *rufula* 98, 102, 104
Tuber 879; *lapiceum* 582
Tuberculina maxima 1209-1211; *persicina* 1211
Tulasnella violea 850
Tylophilus 324, 1157; *alboater* 845, 850; *felleus* 1158, 1167
Typhula erythropus 911; *trifolii* 912
Tyromyces fumidiceps 850; *graminicola* 699-706, f 701, f 704; *semipileatus* 850; *semisupinus* 850; *spraguei* 850
Ulocladium 1073; *chartarum* 1071-1076, f 1072, f 1073; *consortiale* 1074
Umbellula 119
Umbelopsis versiformis 108
Uncinula necator 709, 712
Uromyces andropogonis 850; *lespedezae-procumbentis* 850
Ustilaginoides phyllostachydis 898
Ustilago 275, 1102, 1104; *aegopogonis* 1101, 1102; **bahuichivoensis** f 1099, 1102; *buchloës* 1102; *bullata* 1103; *cynodontis* 1103; *dioteliana* 1103; *elegans* 1103; *enneapogonis* 1103; *hilaricola* 1103; *lycuroides* 1095, 1103, 1104; *maydis* 276, 1104; *neglecta* 1104; *syntherismae* 1104; *ulei* 1104; *utriculosa* 1105
Ustulina 855

- Valsa* 880
Valsonectria 877, 899; *pulchella* 899
Vararia 850; *investiens* 850
Veluticeps 243
Verticillium 118, f 810, 818, 819, 826, 827; *albo-atrum* 1123, 1126; *mal-thousii* 826; *menisporides* 826, 827; *psalliotae* 826-830, f 828; *puniceum* 818; *vile* 822
Venturia 388; *cinninata* 389
Viennotidia 881, 899; *spermosphaerici* 899

Wardomyces 733, 737; *pulvinata* 733
Weesia 880, 899; *balansiae* 899

Xenonectriella 881, 899; *lutescens* 899

Xenosporium 171, 175
Xerocomus 324; *parasiticus* 850
Xeromphalina 3, 27; *cauticinalis* 28, 29; *kauffmaniana* 850; *orickiana* 28
Xerulina chrysospepla 29
Xylaria 848, 851, 855, 867; *corniformis* 848; *persicaria* 848; *polymorpha* 848
Xylariopsis 901, 906; *lini* 906
Xylobolus frustulosus 850
Xylosphaera longipes 1185

Zeta, 889, 899; *viticifolii* 899
Zoopthora calliphorae 42; *jaczewskii* 49; *phytonomi* 52, 57, 58; *radicans* 58
Zygopleurage 1005
Zygorhynchus moelleri 724, 829

HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

- Abelmoschus*
Alternaria tenuis 289
Abies
Tomentella asperula 257; *fuscoferuginosa* 259; *grisoviolacea* 261; *microspora* 264; *molybdaea* 267
Absidia
Verticillium psalliotae 829
Acalypha
Tyromyces graminicola 702
Acer
Hypochnus cervinus 270
Phlebia acerina 239
Sphaerotheca fuliginea 709
Tomentella microspora 264; *papillata* 270
Aegopogon
Tilletia aegopogonis 1100
Ustilago aegopogonis 1102
Agriotes (animal)
Entomophthora carpentieri 45; *coleopterorum* 40, 45
Agrotis (animal)
Entomophthora gammae 40; *megasperma* 40
Sorosporella agrotidis 60
Tarichium gammae 46; *megaspermum* 50
Allium
Sclerotium cepivorum 1195
Alnus
Cantharellus confluens 242
Tomentella fuscoferuginosa 259; *microspora* 263, 264; *papillata* 270

Andromeda
Physalospora vaccinii 388
Andropogon
Sorosporium contortum 1096
Sphacelotheca andropogonis 1097; *andropogonis-hirtifolii* 1097
Tolyporella brunckii 1102
Uromyces andropogonis 850
Ustilago dieteliana 1103
Anisoplia (animal)
Myiophagus ucrainicus 62
Aphis (animal)
Entomophthora aphidis 36
Tarichium aphidis 36; *sphaerospermum* 36
Aquilegia
Erysiphe polygoni 709
Araucaria
Mycosterlobium platysporum 172
Arctostaphylos
Botryosphaeria vaccinii 380
Aristida
Sorosporium confusum 1096; *con-sanguineum* 1096
Aster
Erysiphe cichoracearum 709

Baltimora
Thecaphora pulcherrima 1099
Bambusa
Tyromyces graminicola 702
Barathra (animal)
Entomophthora bereshkoveana 40; *pustulata* 40
Tarichium bereshkovaeaeum 39; *pustulatum* 53

- Betula*
 Polyporus betulinus 1108
 Tomentella asperula 257; *fuscofer-ruginosa* 259; *microspora* 264; *papillata* 270
Bombycilla (animal)
 Penicillium pseudostromaticum 1110
Bouteloua
 Ustilago buchloës 1102; *neglecta* 1104
Brachiaria
 Sorosporium ovarium 1097
Brassica
 Cladosporium 822
Breynia
 Kernkampella breyniae 839; *brey-niae-patentis* 839
 Ravenelia breyniae 837
Bromus
 Ustilago bullata 1103
Butia
 Agaricostilbum palmicola 682
Calliopum (animal)
 Entomophthora lauxaniae 40; *pallida* 40
 Tarichium pallidum 51
Calliphora (animal)
 Entomophthora calliphorae 40, 42
Caloptenus (animal)
 Entomophthora calopteni 42
Cassandra
 Physalospora vaccinii 388
Cassiope
 Physalospora hyperborea 378, 392
Castanea
 Tomentella microspora 264
Castilleja
 Cronartium coleosporioides 996
 Peridermium stalactiforme 996
Ceanothus
 Microsphaera alni 709, 712
Cenchrus
 Sorosporium cenchri 1095
Cerastis (animal)
 Entomophthora dissolvens 46
Certhia (animal)
 Penicillium pseudostromaticum 1110
Chaetomella
 Gonatorhodiella highlei 1126
Chaetomium
 Dispira simplex 760
Chelydra (animal)
 Basidiobolus ranarum 586
Chloris
 Phyllachora koondrookensis 299
 Ustilago elegans 1103; *ulei* 1104
Cimbex (animal)
 Entomophthora cimbicis 40, 43
 Tarichium cimbicis 43
Citrus
 Alternaria citri 289
 Tyromyces graminicola 700, 703
Cladosporium
 Gonatorhodiella highlei 1126
Cleonus (animal)
 Entomophthora cleoni 40, 44
 Myrophagus ucrainicus 62
 Tarichium cleoni 44; *uvella* 59
Coffea
 Ceratocystis fimbriata 988, 989
Colaptes (animal)
 Penicillium pseudostromaticum 1110
Commelina
 Stemphylium globuliferum 851
Coriulus
 Hypomyces polyporinus 848
 Melanospora lagenaria 848
Cortaderia
 Tyromyces graminicola 702
Corylus
 Microsphaera alni 709
 Phyllactinia corylea 709
Crataegus
 Podosphaera oxyacanthae 709
Cronartium
 Tuberculina maxima 1209
Cucumis
 Sphaerotheca fuliginea 709
Cunninghamella
 Verticillium psalliotae 829
Cynodon
 Tyromyces graminicola 702
 Ustilago cynodontis 1103
Cynomya (animal)
 Entomophthora bullata 40, 41
Cyrtoneura (animal)
 Entomophthora cyrtoneurae 40, 45
Daucus
 Alternaria 850
Dendrocopos (animal)
 Penicillium pseudostromaticum 1110
Dendroica (animal)
 Penicillium pseudostromaticum 1110
Dianthus
 Alternaria 850
 Curvularia 850
Diapensia
 Guignardia diapensiae 384
Digitaria
 Ustilago syntherismae 1104
Echinochloa
 Sphaerolotheca diplospora 1097
Elater (animal)
 Entomophthora carpentieri 45; *coleopterorum* 40, 45
Empetrum
 Botryosphaeria hyperborea 383
 Phomatospora empetri 393
 Physalospora empetri 378

- Empidonax* (animal)
 Penicillium pseudostromaticum 1110
Enneapogon
 Ustilago enneapogonis 1103
Eragrostis
 Sphacelotheca montaniensis 1098
 Tilletia durangensis 1101; *eragrostidis* 1101
Eriochloa
 Sorosporium mixtum 1096
Euacanthus (animal)
 Entomophthora atrosperma 40; *apiana* 40, 48
Eucalyptus
 Licea applanata 1058
Eupatorium
 Dasyyscyphus oblongus-ellipticus 684
Eupsilia (animal)
 Entomophthora dissolvens 40
Eurois (animal)
 Entomophthora lavrovia 40
 Tarichium lavrovium 50
Exidia
 Hypocrea sulphurea 848
Fagus
 Endothia gyrosa 848
 Merulius incarnatus 250; *rubellus* 250
 Phlebia pileata 248
 Tomentella griseoviolacea 259
Falagria (animal)
 Amorphomyces falagriae 743
Fragaria
 Sphaerotheca humuli 709, 710
Frommea
 Darlua filum 850
Gaultheria
 Botryosphaeria vaccinii 380
Geothlypis (animal)
 Penicillium pseudostromaticum 1110
Graphium
 Gonatorhodiella highlei 1126
Hackelochloa
 Sphacelotheca reiliana 1098
Helminthosporium
 Verticillium epiphytum 826
Heterodera (animal)
 Olpidium nematodae 61
 Tarichium auxiliare 60
Heteropogon
 Sorosporium contortum 1096
 Sphacelotheca andropogonis 1097; *moniliifera* 1097; *nealii* 1098
Hicoria
 Phanerochaete velutina f. *coccineofulva* 241
Hilaria
 Ustilago aegopogonis 1102; *hilaricola* 1103
Hirschioporus
 Mycocalicium polyporaеum 848
Humulus
 Pseudoperonospora humuli 1067
Hydrangea
 Microsphaera alni 709, 712
Hydrodictyon
 Catenaria sphaerocarpa 589; *verrucosa* 589
Hylemya (animal)
 Entomophthora hylemyiae 40
 Tarichium hylemyiae 47
Hylocichla (animal)
 Penicillium pseudostromaticum 1108, 1110
Hymenophyllum
 Lamproderma tuberculosporum 648
Hypera (animal)
 Entomophthora phyttonomi 40; *punctata* 40
Hypocrea
 Paezilomyces varioti 850
Iris
 Lamproderma griseum 652
Juglans
 Phanerochaete velutina f. *coccineofulva* 241
Juniperus
 Tyromyces graminicola 702
Kalmia
 Botryosphaeria vaccinii 380
 Physalospora kalmiae 391
Larix
 Tomentella microspora 264
Lathyrus
 Erysiphe polygoni 709
Lauxania (animal)
 Entomophthora lauxaniae 49
Ledum
 Physalospora hyperborea 378, 392
Lespedeza
 Uromyces lespedezae-procumbentis 850
Linum
 Melampsora lini 611
Liquidambar
 Xylaria persicaria 848
Lonicera
 Microsphaera alni 709
Lycopodium
 Ceuthospora lycopodii 850
 Mycosphaerella polypodii 848
Lycurus
 Ustilago lycuroides 1103
Lyonia
 Botryosphaeria vaccinii 380

- Magnolia
 Microsphaera alni 709
 Melanoplus (animal)
 Entomophthora calopteni 40
 Melia
 Tyromyces graminicola 700
 Melospiza (animal)
 Penicillium pseudostromaticum 1110
 Mortierella
 Verticillium psalliotae 829
 Muhlenbergia
 Sphacelotheca montaniensis 1098

 Nectria
 Gonatorhodiella highlei 1122
 Nolina
 Melanotaenium nolinae 1095
 Nothofagus
 Cenococcum graniforme 585

 Oropetium
 Phyllachora aravaliense 296
 Oxalis
 Melanotaenium 402; *oxalidis* 405
 Oxyccoccus
 Physalospora vaccinii 388
 Venturia cincinnata 389

 Panicum
 Curvularia 850
 Sorosporium cenchri 1095
 Tilletia barclayana 1101
 Parus (animal)
 Penicillium pseudostromaticum 1110
 Pennisetum
 Ustilago bahuichivoensis 1102
 Penstemon
 Erysiphe cichoracearum 709
 Phacelia
 Erysiphe cichoracearum 709
 Phaseolus
 Erysiphe polygoni 709, 711
 Phoenix
 Agaricostilbum palmicola 682
 Phyllodoce
 Physalospora hyperborea 378, 392
 Phytometra (animal)
 Entomophthora gammae 46
 Phytomus (animal)
 Entomophthora phytonomi 58; *unc-*
 tata 52
 Tarichium phytonomi 52
 Picea
 Hypochnus sparsus 264
 Tomentella fuscella 264; *micro-*
 spora 264
 Trechispora pallidoaurantiaca 677
 Pieris (animal)
 Empusa sphaerosperma 57
 Entomophthora phytonomi 57; *radi-*
 cans 36, 57; *sphaerosperma* 35,
 57
 Tarichium phytonomi 57; *sphaero-*
 spermum 57
 Zoophthora phytonomi 57
 Pinus
 Byssocorticium neomexicanum 675
 Cenococcum graniforme 585
 Ceratocystis coerulea 988, 989
 Coleosporium asteris 849
 Cronartium ribicola 1209
 Dasyscyphus ellisianus 848
 Ditola radicata 849
 Merulius aureus 849
 Peridermium filamentosum 996; *sta-*
 lactiforme 996
 Propolis versicolor 848
 Resinicium chiricahuensis 676
 Tomentella papillata 270
 Trechispora pallidoaurantiaca 677
 Pipilo (animal)
 Penicillium pseudostromaticum 1110
 Platanus
 Ceratocystis fimbriata 988, 989
 Microsphaera alni 709
 Scytalidium lignicola 120
 Plumbago
 Phyllostictina plumbaginis 395
 Plusia (animal)
 Entomophthora gammae 40, 46, 48;
 inexpectata 40; *megasperma* 51
 Tarichium inexpectatum 47
 Poa
 Fusarium roseum 429
 Polygonum
 Erysiphe polygoni 709
 Ustilago utriculosa 1105
 Polyporus
 Penicillium 1106; *pseudostromati-*
 cum 1108
 Polystichum
 Helotium filicinum 487; *humuli* 487
 Pongamia
 Ravenelia hobsoni 1119
 Populus
 Gandoderma applanatum 1161
 Petriella asymmetrica var *cypria*
 731; *musispora* 730, 731
 Polyporus dryophilus 714; var *vul-*
 pinus 714
 Tomentella asperula 257; *grisovio-*
 laceae 261; *microspora* 264;
 molybdaea 267; *papillata* 270
 Trechispora pallidoaurantiaca 677
 Potentilla
 Frommea obtusa 849
 Prunella
 Sphaerotheca fuliginea 709
 Prunus
 Apiosporina morbosa 848
 Merulius pruni 250; *rufus* 250
 Podosphaera oxycanthae 709
 Pseudemys (animal)
 Basidiobolus ranarum 586

- Pseudotsuga*
Resinicium chirichuaensis 676
Tomentella microspora 264
- Pyrus*
Helotium filicinum 489; *phyllogemon* 489
- Quercus*
Ceratocystis fagacearum 988, 989
Hydnoporia fuscescens 849
Microsphaera alni 709, 710, 711
Penicillium diversum var. *aureum* 851
Polyporus dryophilus 714; var. *vulpinus* 714
Sphaerotheca lanestris 709
Tomentella fuscoferruginosa 259; *grisoviolacea* 261; *papillata* 270
Xylobolus frustulosus 850
- Rattus* (animal)
Microsporium racemosum 856
- Rhizopus*
Verticillium psalliotae 829
- Rhododendron*
Botryosphaeria rhodora 382
Microsphaera alni 709
Mycosphaerella millepunctata 383
Phomatospora gelatinospora 386
Physalospora rhododendri 390; var. *albimontana* 391; var. *rhododendri* 391
Plectosphaera yakusimensis 391
- Rhopalomyces*
Verticillium psalliotae 826-830
- Rhus*
Coriulus versicolor 849
- Ribes*
Sphaerotheca fuliginea 709
- Rosa*
Sphaerotheca humuli 709
- Rubus*
Sphaerotheca humuli 707, 709
- Rynchospora*
Cintracta taubertiana 1095
- Salix*
Trybliidiella clavispora 98
- Sarcophaga* (animal)
Entomophthora bullata 40, 41
- Schizolachnus* (animal)
Entomophthora aphidis 56
- Seiurus* (animal)
Penicillium pseudostromaticum 1110
- Setaria*
Sphacelotheca pamparum 1098
Ustilago neglecta 1104
- Setophaga* (animal)
Penicillium pseudostromaticum 1110
- Sitona* (animal)
Entomophthora coleopterorum 40
- Sitones* (animal)
Entomophthora coleopterorum 44
- Sitta* (animal)
Penicillium pseudostromaticum 1110
- Solidago*
Coleosporium asteris 849; *delicatum* 849
Erysiphe cichoracearum 709
- Sorghastrum*
Sphacelotheca tepicensis 1098
- Sorghum*
Curvularia 850
Sphacelotheca sorghi 1098
- Spiraea*
Tomentella microspora 264
- Spizella* (animal)
Penicillium pseudostromaticum 1110
- Sporobolus*
Tyromyces graminicola 702
- Stachys*
Erysiphe cichoracearum 709
- Stenotaphrum*
Tyromyces graminicola 702
- Stereum*
Hypomyces aurantius 848
Pellicularia pruinata 849
- Syringa*
Microsphaera alni 709
- Taraxacum*
Sphaerotheca humuli 709
- Taxodium*
Merulius cupressi 242
- Tellima*
Sphaerotheca fuliginea 709
- Terrapene* (animal)
Basidiobolus ranarum 586
- Thamnidium*
Verticillium psalliotae 829
- Thamnophis* (animal)
Basidiobolus ranarum 586
- Theobroma*
Ceratocystis fimbriata 988, 989
Phytophthora palmivora 421
- Thuja*
Tomentella microspora 264; *papillata* 270
- Tilia*
Colletotrichum dematium 850
Tomentella grisoviolacea 261
- Tipula* (animal)
Entomophthora richteri 40; *tipulae* 40
Massospora tipulae 54
- Trichacne*
Sphacelotheca cordobensis 1097
- Tridens*
Nigrospora sphaerica 850
Puccinia windsoriae 850
Ustilago buchloë 1103

- Trifolium
 Erysiphe polygoni 709
Tripsacum
 Ustilago dieteliana 1103
Tritirachium
 Gonatorhodiella highlei 1126
Trogloodytes (animal)
 Penicillium pseudostromaticum 1110
Tsuga
 Tomentalla grisoviolacea 261
Turdus (animal)
 Penicillium pseudostromaticum 1110
Ulmus
 Ceratocystis ulmi 989
 Merulius confluens 253; corium 253
Vaccinium
 Botryosphaeria vaccinii 380
 Microsphaera alni var vaccinii 848
 Niesslia barbicincta 388
 Phomatospora clarae-bonae 385
 Physalospora vaccinii 388; vitis-
 idaea 389
 Sphaeria cincinnata 388
 Venturia cincinnata 389
Vermivora (animal)
 Penicillium pseudostromaticum 1110
Verticillium
 Gonatorhodiella highlei 1126
Viburnum
 Microsphaera alni 709
Vitis
 Uncinula necator 709
Zabrus (animal)
 Entomophthora jaczewskii 40, 49;
 zabrae 40
Zea
 Ustilago maydis 1104
Zonotrichia (animal)
 Penicillium pseudostromaticum 1110
Zygorhynchus
 Verticillium psalliotae 829

MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME LXII, 1970

CONSISTING OF VII + 1252 PAGES,
INCLUDING FIGURES

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. JANUARY-FEBRUARY

Omphalina in North America, HOWARD E. BIGELOW	1
Insect pathogens: Species originally described from their resting spores mostly as <i>Tarichium</i> species (Entomophthorales: Entomophthoraceae), DONALD M. MACLEOD AND ERWIN MÜLLER-KÖGLER	33
Species of <i>Penicillium</i> occurring in freshly-harvested and in stored dent corn kernels, PHILIP B. MISLIVEC AND JOHN TUIITE	67
Temperature and relative humidity requirements of species of <i>Penicillium</i> isolated from yellow dent corn kernels, PHILIP B. MISLIVEC AND JOHN TUIITE	75
Chromosome numbers in species of <i>Nannizzia</i> and <i>Arthroderma</i> , IRENE WEITZMAN, PENELOPE W. ALLDERDICE, AND MARGARITA SILVA-HUTNER	89
Morphology of <i>Trybliella clavispota</i> , B. N. MUTHAPPA	98
<i>Paecilomyces clavispota</i> sp. nov., <i>Trichoderma saturnisporum</i> sp. nov., and other noteworthy soil fungi from Georgia, TERRENCE M. HAMMILL	107
Taxonomic studies of the aflatoxin-producing strains in the <i>Aspergillus flavus</i> group, C. W. HESSELTINE, W. G. SORENSON, AND MABEL SMITH	123
On species, subspecies, varieties, and forms of <i>Tomentella</i> named and described by Bourdot and Galzin I, MICHAEL J. LARSEN	133
Influence of certain nutrients and light on growth and morphogenesis of the synnema of <i>Ceratocystis ulmi</i> , JAMES L. HARRIS AND WILLARD A. TABER	152
A new genus of the Hyphomycetes from Hawaii, R. D. GOOS	171
Ultrastructure of dormant and germinated basidiospores of a species of <i>Psilocybe</i> , D. L. STOCKS AND W. M. HESS	176
Brief Articles	
CAMPBELL on perithecium formation by <i>Ceratocystis fimbriata</i>	192
HENDRIX AND GUTTMAN on <i>Phytophthora</i> requirements for sterol and calcium	195
WOLF on a large sporophore of <i>Polyporus berkeleyi</i>	198
HYLIN ET AL. on defined medium for <i>Alternaria tomato</i>	200
BIGELOW on basidiocarp production by cultured <i>Clitocybe</i>	203
Reviews	206

No. 2. MARCH-APRIL

Morphology and nutrition of <i>Chloridium chlamydosporis</i> (<i>Bisporomyces chlamydosporis</i>), AASA OMVIK	209
Cellular effects from microbeam irradiation of <i>Basidiobolus ranarum</i> with a laser, JOHN L. ROBERTSON AND CHARLES L. WILSON	227
A histochemical study of the composition of spore ornamentations in operculate discomycetes, DONALD H. PFISTER	234
The genus <i>Merulius</i> III. Species of <i>Merulius</i> and <i>Phlebia</i> proposed by Schweinitz and Peck, JAMES H. GINNS	238
<i>Tomentella</i> and related genera in North America VI. Some synonymy and	

additional new records, MICHAEL J. LARSEN	256
The perfect form of a marine-occurring yeast of the genus <i>Rhodotorula</i> , STEVEN Y. NEWELL AND J. W. FELL	272
Morphology of <i>Chaetomium trilaterale</i> , JOHN C. COOKE	282
Physiological studies of <i>Alternaria citri</i> and <i>A. tenuis</i> , S. K. HASIJA	289
A new species of <i>Phyllachora</i> , K. M. M. DAKSHINI, R. K. TANDON, AND K. G. MUKERJI	296
Cytology of the ascus in <i>Ascotricha guamensis</i> , V. RANGA RAO AND K. G. MUKERJI	301
Environmental control of fruitbody development in <i>Boletus rubinellus</i> in axenic culture, DAVID J. McLAUGHLIN	307
Nonvolatile organic acids produced by <i>Sclerotinia sclerotiorum</i> in synthetic liquid media, ROGELIO R. VEGA, DENNIS CORSINI, AND DUANE LE TOUR- NEAU	332
Nutrition and fermentative energy metabolism of the water mold <i>Aqualin- derella fermentans</i> , A. A. HELD	339
Oogonium production in <i>Aqualinderella fermentans</i> , ABRAHAM A. HELD AND RALPH EMERSON	359
Electrophoretic studies of soluble proteins from <i>Aspergillus</i> spp., MARTIN M. KULIK AND ALBERT G. BROOKS	365
Some amersporous Ascomycetes on Ericaceae and Empetraceae, MAR- GARET E. BARR	377
Brief Articles	
PONAPPA on <i>Phyllostictina plumbaginis</i> sp. nov.	395
CHEN AND ZENTMYER on <i>Phytophthora cinnamoni</i> sporangium production ..	397
DIETZ AND FISCHER on <i>Melanotaenium oxalidis</i> on <i>Oxalis oregana</i>	402
FURTADO on alcoholic toluene blue for staining nuclei.	406
Reviews	408

No. 3. MAY-JUNE

Nutrition and antheridiol-induced branching in <i>Achlya ambisexualis</i> , ALMA WHIFFEN BARKSDALE	411
On the binucleate condition of the quadriflagellated zoospores of <i>Phytophthora palmivora</i> , P. R. DESJARDINS, G. A. ZENTMYER, AND D. A. REYNOLDS ..	421
Tentative identification and influence of sterols and dimethyl sulfoxide (DMSO) on the growth and survival of <i>Fusarium roseum</i> , R. W. TILL- MAN AND G. A. BEAN	428
Studies in the rhodophylloid fungi II: <i>Alboleptonia</i> , a new genus, DAVID L. LARGENT AND ROBERT G. BENEDICT	437
Ascal cytology of <i>Sordaria brevicollis</i> , JOÃO S. FURTADO	453
The parasexual cycle in yeasts of the genus <i>Metschnikowia</i> , J. I. PITT AND M. W. MILLER	462
Somatic mitosis in <i>Ceratobasidium flavescens</i> and <i>Pellicularia koleroga</i> , DAVID E. FINLEY	474
The Helotiales of India—X, K. S. THIND AND HARNEK SINGH	486
<i>Hyphochytrium catenoides</i> : a morphological and physiological study of North American isolates, D. J. S. BARR	492

TABLE OF CONTENTS

v

Mycological studies of Lake Champlain, S. P. MEYERS, D. G. AHEARN, AND W. L. COOK	504
The aquatic Hyphomycetes of central New York, KENNETH E. CONWAY	516
Cell wall structure of <i>Sapromyces elongatus</i> , VIVIE M. PAO AND JEROME M. ARONSON	531
Yeasts from wheat and flour, C. P. KURTZMAN, L. J. WICKERHAM, AND C. W. HESSELTINE	542
Organization and fine structure of the side body and its lipid sac in the zoospore of <i>Blastocladiella emersonii</i> , E. C. CANTINO AND L. C. TRUESDELL ..	548
Sulfur source and vitamin requirements of the aquatic Phycomycete, <i>Catenaria anguillulae</i> , RICHARD A. NOLAN	568
A middle Pennsylvanian Basidiomycete mycelium with clamp connections, ROBERT L. DENNIS	578
Brief Articles	
MEJSTRÍK on <i>Cenococcum graniforme</i> in New Zealand	585
HUTCHISON AND NICKERSON on distribution of <i>Basidiobolus ranarum</i> ...	585
SINGH AND PAVGI on two Catenariaceae from India	587
SINGER on the toptype of <i>Boletus amabilis</i>	590
BENEDICT et al. on <i>Amanita verna</i> in the Pacific Northwest	597
CANHAM et al. on reclassification of <i>Nocardia acidophilus</i>	599
SHIGO on growth of Hymenomycetes	604
DUMONT and KORF on a new name, <i>Martininia</i>	608
LITTLEFIELD AND BRACKER on haustoria of <i>Melampsora lini</i>	609
Reviews	615
Notice	619

No. 4. JULY-AUGUST

The species of <i>Lamproderma</i> , DONALD T. KOWALSKI	621
Three new species of wood-rotting fungi in the Corticiaceae, R. L. GILBERTSON AND A. B. BUDINGTON	673
<i>Agaricostilbum</i> , a new genus of Deuteromycetes on palm spathes from Argentina, JORGE E. WRIGHT	679
The Helotiales of Eastern India—II, A. K. KAR AND K. P. PAL	683
Some operculate discomycetes from West Bengal (India), A. K. KAR AND K. P. PAL	690
<i>Tyromyces graminicola</i> in North America, R. L. GILBERTSON AND J. L. LOWE	699
Leaf surface and leaf hairs affect length of conidiophores of Erysiphaceae, C. E. YARWOOD AND M. W. GARDNER	707
Attraction toward and penetration of <i>Polyporus dryophilus</i> var. <i>vulpinus</i> basidiospores by hyphae of the same species, H. L. MORTON AND D. W. FRENCH	714
Microbial characteristics of a forest soil after twenty years of prescribed burning, J. R. JORGENSEN AND C. S. HODGES, JR.	721
New concepts in the Microascaceae illustrated by two new species, DAVID MALLOCH	727
The appendage of Amorphomyces (Laboulbeniales), ISABELLE I. TAVARES ...	741
Nutritional requirements for axenic growth of some haustorial mycoparasites, H. L. BARNETT	750

Light and electron microscopic studies of <i>Ascobolus stercorarius</i> . I. Nuclear divisions in the ascus, KENNETH WELLS	761
Revision of the systematic position of <i>Saprochaete saccharophila</i> , DIANE TE STRAKE WAGNER AND CLINTON J. DAWES	791
Further clarification of <i>Sporotrichum</i> species, JOHN J. TAYLOR	797
<i>Verticillium psalliotae</i> as a parasite of <i>Rhopalomyces</i> , R. DAYAL AND G. L. BARRON	826
A new <i>Chroogomphus</i> with a loculate hymenium and a revised key to section <i>Floccigomphus</i> , ORSON K. MILLER, JR. AND JAMES M. TRAPPE	831
<i>Kernkampella</i> : a new genus in the Uredinales, RICHARD B. RAJENDREN	837
Brief Articles	
COOKE AND PALMER on the 1966 Maryland Foray	844
JONG AND ROGERS on <i>Penzigia frustulosa</i> in culture	851
RUSH-MUNRO et al. on the perfect state of <i>Microsporium racemosum</i> ...	856
Reviews	860

No. 5. SEPTEMBER-OCTOBER

The hypocrealean fungi (Ascomycetes, Hypocreales), CLARK T. ROGERSON.	865
Dikaryotization in <i>Clitocybe truncicola</i> , G. N. BISTIS	911
Nova Scotian <i>Inocybes</i> . II, D. W. GRUND AND D. E. STUNTZ	925
Studies on the fleshy fungi of Alaska. IV. A preliminary account of the genus <i>Helvella</i> , PHYLLIS E. KEMPTON AND VIRGINIA L. WELLS	940
Acropetal development in the "chain" formation of chlamydospores of <i>Thielaviopsis basicola</i> , PETER H. TSAO AND J. L. BRICKER	960
Glucose inhibition and inheritance of pigment-producing ability in <i>Phytophthora</i> , L. W. TIMMER, D. C. ERWIN, AND W. H. McCORMICK	967
Soil microfloral interactions with aflatoxin synthesis and degradation, CHUNG-MIN CHANG AND J. Q. LYND	978
Comparative mycelial protein and enzyme patterns in four species of <i>Ceratocystis</i> , R. J. STIPES	987
Nuclei of Jeffrey pine limb rust <i>Peridermia</i> , R. G. KREBILL AND D. L. NELSON	996
A new species of <i>Podospora</i> from Pakistan, J. H. MIRZA AND S. I. AHMED ..	1003
Hyphal fusions in <i>Schizophyllum commune</i> . 2. Effects of environmental and chemical factors, SAYED S. AHMAD AND PHILIP G. MILES	1008
Zinc and amino acids: important components of a medium promoting growth of <i>Monascus purpureus</i> , FRANK McHAN AND GEORGE T. JOHNSON	1018
Pure culture studies of some <i>Chytridiomycetes</i> , S. K. HASIJA AND C. E. MILLER	1032
Some effects of ammonia on species of <i>Phytophthora</i> , J. ANTONIO LEAL, V. G. LILLY, AND M. E. GALLEGLY	1041
Brief Articles	
KOWALSKI on a new foliicolous species of <i>Licea</i>	1057
KELLER on <i>Didymium saturnus</i> , a new Myxomycete on straw stacks	1061
SONODA AND OGAWA on <i>Pseudoperonospora humuli</i> sporangia	1067
EL-ANI on the macroconidium appendage in <i>Microsporium gypsum</i>	1070
LEACH AND ARAGAKI on conidia of <i>Ulocladium</i> and <i>Stemphylium</i>	1071
Reviews	1077

TABLE OF CONTENTS

vii

No. 6. NOVEMBER-DECEMBER

Robert Meredith Page, RALPH EMERSON AND RICHARD A. HUMBER	1085
Hosts and distribution records of Mexican smut fungi, RUBEN DURAN	1094
A new species of <i>Penicillium</i> , C. S. HODGES, JR., GLORIA M. WARNER, AND CLARK T. ROGERSON	1106
Cytology and developmental morphology of <i>Kernkampella breyniae-patentis</i> and <i>Ravenelia hobsoni</i> , RICHARD B. RAJENDREN	1112
Parasitism and axenic growth of the Mycoparasite <i>Gonatorhodiella highlei</i> , RONALD E. GAIN AND H. L. BARNETT	1122
Surface features of the fruiting structures of <i>Ceratocystis ulmi</i> , JAMES L. HARRIS	1130
An endogenous rhythm of spore discharge in <i>Ganoderma applanatum</i> , C. L. KRAMER AND D. L. LONG	1138
Periodicity of spore discharge in the Hymenomycetes, R. T. HAARD AND C. L. KRAMER	1145
Ascospore discharge in <i>Hypoxylon</i> , C. L. KRAMER AND S. M. PADY	1170
Observations on two species of the genus <i>Pustulina</i> , D. C. PANT AND V. P. TEWARI	1187
Carbon and nitrogen nutrition of <i>Sclerotium cepivorum</i> , GEORGE C. PAPAVIZAS	1195
<i>Endogone incrassata</i> : A zygosporic species with hollow sporocarps, J. W. GERDEMANN AND JAMES M. TRAPPE	1204
Brief Articles	
WICKER on retention of infectivity by <i>Tuberculina</i> in culture	1209
GLEASON AND STUART on Leptomitales nitrogen and sulfur requirements.	1212
ILLMAN on the use of <i>mould</i> versus <i>mold</i>	1214
Reviews	1215
Notices	1217
Errata	1218
Mycologia—Financial Report	1219
Index to Volume 62	1221



